abcam

Product datasheet

Recombinant human LEC protein ab627

Description

Product name Recombinant human LEC protein

Purity >= 98 % SDS-PAGE.

Purity determined by SDS-PAGE gel and HPLC analyses.

Endotoxin level < 0.100 Eu/μg
Expression system Escherichia coli

Protein length Full length protein

Animal free No

Nature Recombinant

Species Human

Sequence hLEC is an 11.2 kDa protein containing 97 amino acid

residues: QPKVPEWVNT PSTCCLKYYE KVLPRRLVVG YRKA LNCHLP AIIFVTKRNR EVCTNPNDDWVQEYIKDPNL

PLLPTRNLST VKIITAKNGQ PQLLNSQ

Specifications

Our <u>Abpromise guarantee</u> covers the use of ab627 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Applications Functional Studies

SDS-PAGE

Form Lyophilized

Additional notes The biological activity of this product is determined by its ability to chemoattract human

monocytes using a concentration range of 10.0-100.0 ng/ml.

Preparation and Storage

Stability and Storage Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

This product is an active protein and may elicit a biological response in vivo, handle with caution.

Reconstitution For lot specific reconstitution information please contact our Scientific Support Team.

1

General Info

Function Shows chemotactic activity for lymphocytes and monocytes but not neutrophils. Also shows potent

myelosuppressive activity, suppresses proliferation of myeloid progenitor cells. Recombinant SCYA16 shows chemotactic activity for monocytes and THP-1 monocytes, but not for resting lymphocytes and neutrophils. Induces a calcium flux in THP-1 cells that were desensitized by prior

expression to RANTES.

Tissue specificity Mainly expressed in liver, also found in spleen and thymus. Highly expressed in LPS- and IFN-

gamma-activated monocytes, weakly in some lymphocytes, including natural killer cells, gamma-

delta T-cells, and some T-cell clones.

Sequence similaritiesBelongs to the intercrine beta (chemokine CC) family.

Cellular localization Secreted.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors