

## Product datasheet

# Recombinant mouse VEGFA protein (Active) ab191623

2 Images

### Description

<b>Product name</b>	Recombinant mouse VEGFA protein (Active)
<b>Biological activity</b>	Measured by its binding ability in a functional ELISA. Immobilized ab191623 at 2 µg/mL (100 µL/well) can bind Recombinant human VEGF Receptor 1 protein ( <a href="#">ab216987</a> ) with a linear range of 6-100 ng/mL.
<b>Purity</b>	> 95 % SDS-PAGE.
<b>Endotoxin level</b>	< 1.000 Eu/µg
<b>Expression system</b>	HEK 293 cells
<b>Accession</b>	<a href="#">Q00731</a>
<b>Protein length</b>	Protein fragment
<b>Animal free</b>	No
<b>Nature</b>	Recombinant
<b>Species</b>	Mouse
<b>Sequence</b>	APTT EGEQKSHEVIKFMDVYQRSYCRPIETLVDI FQEYPDEIEYIFKPSCVPLMRCAGCCNDEA LECVPTSESNITMQIMRIKP HQSQHIGEMS FLQHSRCECR PKKDRTKPEK KSVRGK
<b>Predicted molecular weight</b>	14 kDa
<b>Amino acids</b>	27 to 146

### Specifications

Our [Abpromise guarantee](#) covers the use of **ab191623** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

<b>Applications</b>	ELISA Functional Studies SDS-PAGE
<b>Form</b>	Lyophilized
<b>Additional notes</b>	This product is stable after storage at: -20°C to -70°C for 12 months in lyophilized state;

-70 °C for 3 months under sterile conditions after reconstitution.

## Preparation and Storage

---

### Stability and Storage

Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle. For long term storage it is recommended to add a carrier protein on reconstitution (0.1% HSA or BSA). Please see notes section.

pH: 7.40

Constituents: 95% PBS, 5% Trehalose

Lyophilized from a 0.22 µm filtered solution

This product is an active protein and may elicit a biological response in vivo, handle with caution.

### Reconstitution

Reconstitute with sterile deionized water to a concentration of 200 µg/ml.

## General Info

---

### Function

Growth factor active in angiogenesis, vasculogenesis and endothelial cell growth. Induces endothelial cell proliferation, promotes cell migration, inhibits apoptosis and induces permeabilization of blood vessels. Binds to the FLT1/VEGFR1 and KDR/VEGFR2 receptors, heparan sulfate and heparin. NRP1/Neuropilin-1 binds isoforms VEGF-165 and VEGF-145. Isoform VEGF165B binds to KDR but does not activate downstream signaling pathways, does not activate angiogenesis and inhibits tumor growth.

### Tissue specificity

Isoform VEGF189, isoform VEGF165 and isoform VEGF121 are widely expressed. Isoform VEGF206 and isoform VEGF145 are not widely expressed.

### Involvement in disease

Defects in VEGFA are a cause of susceptibility to microvascular complications of diabetes type 1 (MVCD1) [MIM:603933]. These are pathological conditions that develop in numerous tissues and organs as a consequence of diabetes mellitus. They include diabetic retinopathy, diabetic nephropathy leading to end-stage renal disease, and diabetic neuropathy. Diabetic retinopathy remains the major cause of new-onset blindness among diabetic adults. It is characterized by vascular permeability and increased tissue ischemia and angiogenesis.

### Sequence similarities


Belongs to the PDGF/VEGF growth factor family.

### Cellular localization


Secreted. VEGF121 is acidic and freely secreted. VEGF165 is more basic, has heparin-binding properties and, although a significant proportion remains cell-associated, most is freely secreted. VEGF189 is very basic, it is cell-associated after secretion and is bound avidly by heparin and the extracellular matrix, although it may be released as a soluble form by heparin, heparinase or plasmin.

## Images

---



Immobilized ab191623 at 2 µg/mL (100 µL/well) can bind Recombinant human VEGF Receptor 1 protein ([ab216987](#)) with a linear range of 6-100 ng/mL.



SDS-PAGE of reduced ab191623 stained overnight with Coomassie Blue. The protein migrates as 18-22 kDa due to glycosylation.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors