abcam

Product datasheet

Donkey Anti-Rabbit IgG H&L (TRITC) preadsorbed ab7080

1 References 1 Image

Overview

Product name Donkey Anti-Rabbit IgG H&L (TRITC) preadsorbed

Host species Donkey

Target species Rabbit

Tested applications Suitable for: ICC/IF, Immunomicroscopy, Flow Cyt, IHC-P, IHC-Fr, ELISA

Minimal

cross-reactivity Chicken, Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rat, Sheep more details

Immunogen Full length native Rabbit lgG (purified).

Conjugation TRITC. Ex: 547nm, Em: 572nm

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

Storage buffer pH: 6.50

Preservative: 0.01% Sodium azide

Constituents: 0.42% Tripotassium orthophosphate, 0.87% Sodium chloride, 1% BSA

Purity Affinity purified

Purification notes Tetramethylrhodamine isothiocyanante (TRITC) (Molecular Weight 444 daltons) Absorption

Wavelength: 550 nm Emission Wavelength: 570 nm Fluorochrome/Protein Ratio: 2.3 moles

TRITC per mole of Goat IgG

Conjugation notes This product was prepared from monospecific antiserum by immunoaffinity chromatography using

Rabbit IgG coupled to agarose

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab7080 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		
Immunomicroscopy		
Flow Cyt		
IHC-P		
IHC-Fr		
ELISA		

Application notes


Flow Cyt: Use at an assay dependant concentration.

IHC-P: Use at an assay dependant concentration.
IHC-Fr: Use at an assay dependant concentration.
IM: Use at an assay dependant concentration.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Images



Immunocytochemistry/ Immunofluorescence -Donkey Anti-Rabbit IgG H&L (TRITC) preadsorbed (ab7080) ab7080 was used at dilution 1/200 with the primary antibody ab2900 in ICC/IF. See the review on ab2900.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors