

Product datasheet

Donkey anti-Rat IgG H&L (PE) α b7008

★★★★★ [1 Abreviews](#) [2 Images](#)

Overview

Product name	Donkey anti-Rat IgG H&L (PE)
Host species	Donkey
Target species	Rat
Tested applications	Suitable for: ICC/IF, Immunomicroscopy, Flow Cyt, IHC-P, IHC-Fr
Minimal cross-reactivity	Chicken, Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rabbit, Sheep more details
Immunogen	Rat IgG whole molecule
Conjugation	PE. Ex: 488nm, Em: 575nm

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C.
Storage buffer	pH: 6.50 Preservative: 0.01% Sodium azide Constituents: 0.878% Sodium chloride, 1% BSA, 0.424% Tripotassium orthophosphate
Purity	Immunogen affinity purified
Purification notes	Prepared from monospecific antiserum by immunoaffinity chromatography using rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation
Conjugation notes	R-Phycoerythrin (R-PE) Molecular Weight 240,000 daltons) Absorption Wavelength: 488 nm Emission Wavelength: 575 nm OD _{566nm} /OD _{280nm} : 2.8
Clonality	Polyclonal
General notes	Can be used in immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

Applications


The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab7008 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF	★★★★★ (1)	1/100 - 1/250.
Immunomicroscopy		1/50 - 1/200.
Flow Cyt		1/100 - 1/250. The maximum amount of reagent required to stain 1×10^6 cells in flow cytometry is approximately 1.0 ug of antibody conjugate. Lesser amounts of reagent may be sufficient for staining.
IHC-P		1/50 - 1/200.
IHC-Fr		1/50 - 1/200.

Images




Immunocytochemistry/Immunofluorescence analysis of lung tissue using Donkey anti-rabbit IgG H&L (PE) secondary antibody (ab7008).

Immunocytochemistry/ Immunofluorescence -

Donkey anti-Rat IgG H&L (PE) (ab7008)

This image is courtesy of an anonymous Abreview



ab7008 was used with the primary antibody **ab19765** in Flow Cyt.
See Abreview on **ab19765**.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors