abcam

Product datasheet

Goat Anti-Mouse IgG1 (HRP) ab97240

**** 1 Abreviews 126 References 2 Images

Overview

Product name Goat Anti-Mouse IgG1 (HRP)

Host species Goat

Target species Mouse

Specificity By immunoelectrophoresis and ELISA this antibody reacts specifically with mouse IgG1. Cross

reactivity with other immunoglobulins is less than 2%. This antibody may cross react with IgG1

from other species.

Tested applications Suitable for: ICC, ELISA, IHC-P, WB

Conjugation HRP

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C.

Storage buffer pH: 6.8

Constituents: 0.2% BSA, 0.05% CMIT/MIT based preservative

Purity Immunogen affinity purified

Purification notes Antiserum was solid phase adsorbed to ensure subclass specificity. This antibody was isolated

by affinity chromatography using antigen coupled to agarose beads and conjugated to Horse

Radish Peroxidase (HRP).

Conjugation notes Molar enzyme/ antibody protein ratio is 4:1

Clonality Polyclonal

Isotype IgG


Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab97240 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC		1/200 - 1/2000.
ELISA		1/10000 - 1/100000.
IHC-P		1/200 - 1/2000.
WB	****(1)	1/2000 - 1/20000. Colorimetric method; 1/2000 - 1/20000 Chemiluminescence method.

Images




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Goat Anti-Mouse IgG1 (HRP) (ab97240)

IHC image of Histone H1.0 staining in human colon formalin fixed paraffin embedded tissue section*. The section was pre-treated using pressure cooker heat mediated antigen retrieval with sodium citrate buffer (pH6) for 30mins. The section was incubated with **ab11080**, 7.5µg/ml overnight at +4°C. An HRP-conjugated secondary (ab97240, 1/2000 dilution) was used for 1hr at room temperature. The section was counterstained with haematoxylin and mounted with DPX.

The inset negative control image is secondary-only at 1/500 dilution.

*Tissue obtained from the Human Research Tissue Bank, supported by the NIHR Cambridge Biomedical Research Centre



Western blot - Goat Anti-Mouse IgG1 (HRP) (ab97240)

Image from Arnò B et al., PLOS One, Fig. 2.; doi: 10.1371/journal.pone.0068404 Reproduced under the Creative Commons license http://creativecommons.org/licenses/by/4.0/

All lanes: Anti-Topoisomerase I antibody (ab58313)

Lane 1 : Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the absence of CPT for 1 minute.

Lane 2: Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the absence of CPT for 2 minutes.

Lane 3: Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the absence of CPT for 4 minutes.

Lane 4: Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the absence of CPT for 8 minutes.

Lane 5 : Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the presence of CPT for 1 minute.

Lane 6 : Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the presence of CPT for 2 minutes.

Lane 7: Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the presence of CPT for 4 minutes.

Lane 8 : Products generated by incubation of hTop1 with [? -32P] end-labelled duplex DNA (CL25/CP25) incubated in the presence of CPT for 8 minutes.

Secondary

All lanes: Goat Anti-Mouse IgG1 (HRP) (ab97240)

The band corresponding to the enzyme–substrate cleaved complex, has been indicated by an asterisk.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors