


## Product datasheet

# Anti-DUSP7 antibody ab95960

[1 Abreviews](#) [3 Images](#)

### Overview

<b>Product name</b>	Anti-DUSP7 antibody
<b>Description</b>	Rabbit polyclonal to DUSP7
<b>Host species</b>	Rabbit
<b>Tested applications</b>	<b>Suitable for:</b> WB, IHC-P, ICC/IF
<b>Species reactivity</b>	<b>Reacts with:</b> Human <b>Predicted to work with:</b> Mouse 
<b>Immunogen</b>	Synthetic peptide with a sequence corresponding to a region within amino acids 258 and 320 of Human DUSP7 (NP_001938)
<b>Positive control</b>	293T, H1299, HepG2, Molt-4 and Raji cell lines.

### Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
<b>Storage buffer</b>	Preservative: 0.01% Thimerosal (merthiolate) Constituents: 10% Glycerol, 0.1M Tris, 0.1M Glycine, pH 7.0
<b>Purity</b>	Immunogen affinity purified
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

### Applications

Our [Abpromise guarantee](#) covers the use of **ab95960** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 41 kDa.
IHC-P		1/100 - 1/500.

Application	Abreviews	Notes
ICC/IF		1/100 - 1/200.

## Target

<b>Function</b>	Regulates the activity of the MAP kinase family in response to changes in the cellular environment. PYST2-S may act as a negative regulator of PYST2-L although it is unclear whether this is by competing for transcription, translation or activation factors.
<b>Tissue specificity</b>	Expressed at significantly higher levels in malignant hematopoietic cells than in corresponding non-malignant cells.
<b>Sequence similarities</b>	Belongs to the protein-tyrosine phosphatase family. Non-receptor class dual specificity subfamily. Contains 1 rhodanese domain. Contains 1 tyrosine-protein phosphatase domain.
<b>Cellular localization</b>	Cytoplasm.


## Images




Anti-DUSP7 antibody (ab95960) at 1/1000 dilution + Raji whole cell lysate at 30 µg

**Predicted band size:** 41 kDa


10% SDS PAGE



ab95960, at 1/200, staining paraformaldehyde-fixed A549 cells by Immunofluorescence. Lower image merged with DNA probe.



Immunocytochemistry/ Immunofluorescence - Anti-DUSP7 antibody (ab95960)



ab95960, at 1/100, staining paraffin-embedded NCIN87 xenograft, by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DUSP7 antibody (ab95960)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors