

Product datasheet

HsMyoD1 ChIP primer Exon 1 (Reverse) ab83601

Overview

Product name	HsMyoD1 ChIP primer Exon 1 (Reverse)
General notes	Accession number: NM_002478. The HsMYOD1 primers and probe can be used to quantify a control locus in chromatin immunoprecipitation (ChIP) assays with chromatin prepared from human cells. MYOD1 (Myoblast determination protein 1) is involved in muscle development. The primers and probe are located in exon 1. In most cell types MYOD1 is enriched with histone modifications associated with silencing (e.g. Histone H3 K27 di methylation, see image with ab24684). Whereas it shows low levels of histone modifications associated with active gene transcription such as Histone H3 K9 acetylation (see image with ab4441).
Tested applications	Suitable for: Real Time PCR

Properties

Form	Liquid
Storage instructions	Store at +4°C short term (1-2 weeks). Aliquot and store at -20°C long term. Avoid repeated freeze / thaw cycles.
Storage buffer	Constituents: ddH2O
Function	Involved in muscle differentiation (myogenic factor). Induces fibroblasts to differentiate into myoblasts. Activates muscle-specific promoters. Interacts with and is inhibited by the twist protein. This interaction probably involves the basic domains of both proteins.
Sequence similarities	Contains 1 basic helix-loop-helix (bHLH) domain.
Post-translational modifications	Acetylated by a complex containing EP300 and PCAF. The acetylation is essential to activate target genes. Conversely, its deacetylation by SIRT1 inhibits its function. Ubiquitinated on the N-terminus; which is required for proteasomal degradation.
Cellular localization	Nucleus.

Applications

Our [Abpromise guarantee](#) covers the use of **ab83601** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Real Time PCR		Use at an assay dependent concentration. Suitable for the analysis of chromatin immunoprecipitated DNA using Taqman [®] real time PCR. Quantity provided for 200 reactions. Please see the protocol page for the instructions for this product.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors