

Product datasheet

Recombinant Human Angiopoietin 1 protein (denatured) ab113163

1 Image

Overview

Product name	Recombinant Human Angiopoietin 1 protein (denatured)
Protein length	Protein fragment
Description	Recombinant Human Angiopoietin 1 protein

Description

Nature	Recombinant
Source	Escherichia coli
Amino Acid Sequence	
Accession	Q15389
Species	Human
Sequence	<p>MSNQRRESPENSGRRYNRIQHGQCA YTFILPEHDGNCR ESTTDQYNTNALQ RDAPHVEPDFSSQKLQHLEHVMENYTQWLQKLENYV ENMKSEMAQIQQN AVQNHTATMLEIGTSLLSQTAEQTRKLTDVETQVLNQT SRLEIQLLNSL STYKLEKQLLQQTNEILKIHEKNSLLEHKILEMEGKHKE ELDTLKEEKEN LQGLVTRQTYIQELEKQLNRATTNNSVLQKQQLELMDT VHNLVNLCTKE GVLLKGGKREEEKPFRCADVYQAGFNKSGIYTYNN MPEPKKVFQNM VNGGGWTVIQHREDGSLDFQRGWKEYKMGFGNPSG EYWLGNEFIFITSQ RQYMLRIELMDWEGNRAYSQYDRFHIGNEKQNYRLLK GHTGTAGKQSSL ILHGADFSTKDADNDNCMCKCALMLTGGWWFDACG PSNLNGMFYTAGQNH GKLNKIKWHYFKGPSYSLSRSTMMIRPLDF</p>
Molecular weight	56 kDa
Amino acids	1 to 480

Specifications

Our [Abpromise guarantee](#) covers the use of **ab113163** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Applications	SDS-PAGE
Purity	> 85 % SDS-PAGE. ab113163 is purified by using conventional chromatography techniques
Form	Liquid


Preparation and Storage

Stability and Storage	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle. pH: 8.00 Constituents: 0.32% Tris HCl, 6.01% Urea, 5% Glycerol
------------------------------	---

General Info

Function	Binds and activates TIE2 receptor by inducing its tyrosine phosphorylation. Implicated in endothelial developmental processes later and distinct from that of VEGF. Appears to play a crucial role in mediating reciprocal interactions between the endothelium and surrounding matrix and mesenchyme. Mediates blood vessel maturation/stability. It may play an important role in the heart early development.
Sequence similarities	Contains 1 fibrinogen C-terminal domain.
Post-translational modifications	Glycosylated.
Cellular localization	Secreted.

Images



ab113163 at 3 µg analysed by 15% SDS PAGE.

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors