

Product datasheet

Anti-TUBA4A antibody [EPR13477(B)] ab177479

Recombinant RabMAb

[1 References](#) [7 Images](#)

Overview

Product name	Anti-TUBA4A antibody [EPR13477(B)]
Description	Rabbit monoclonal [EPR13477(B)] to TUBA4A
Host species	Rabbit
Specificity	Tubulin proteins have very high homology. The immunogen for this product is based on the TUBA4A protein. There is a chance that this product will detect other tubulin family members. The cross reactivity has not been experimentally determined.
Tested applications	Suitable for: IP, IHC-P, WB, ICC/IF, Flow Cyt (Intra)
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat 
Immunogen	Synthetic peptide within Human TUBA4A aa 50-150 (Cysteine residue). The exact sequence is proprietary. Database link: P68366
Positive control	Molt-4, A431, Jurkat, HeLa and K562 cell lysates; Human testis and Human uterus tissues; A431 cells; K562 cells.
General notes	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.20 Preservative: 0.01% Sodium azide

Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture supernatant

Purity	Tissue culture supernatant
Clonality	Monoclonal
Clone number	EPR13477(B)
Isotype	IgG


Applications

The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab177479 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IP		1/10 - 1/100.
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		1/1000 - 1/5000. Predicted molecular weight: 50 kDa.
ICC/IF		1/100 - 1/250.
Flow Cyt (Intra)		1/10 - 1/100. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.

Target

Function	Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain.
Sequence similarities	Belongs to the tubulin family.
Post-translational modifications	<p>Some glutamate residues at the C-terminus are polyglutamylated. This modification occurs exclusively on glutamate residues and results in polyglutamate chains on the gamma-carboxyl group. Also monoglycylated but not polyglycylated due to the absence of functional TLL10 in human. Monoglycylation is mainly limited to tubulin incorporated into axonemes (cilia and flagella) whereas glutamylation is prevalent in neuronal cells, centrioles, axonemes, and the mitotic spindle. Both modifications can coexist on the same protein on adjacent residues, and lowering glycylation levels increases polyglutamylated, and reciprocally. The precise function of such modifications is still unclear but they regulate the assembly and dynamics of axonemal microtubules.</p> <p>Acetylation of alpha-tubulins at Lys-40 stabilizes microtubules and affects affinity and processivity of microtubule motors. This modification has a role in multiple cellular functions, ranging from cell motility, cell cycle progression or cell differentiation to intracellular trafficking and signaling.</p>
Cellular localization	Cytoplasm > cytoskeleton.



Western blot - Anti-TUBA4A antibody
[EPR13477(B)] (ab177479)

All lanes : Anti-TUBA4A antibody [EPR13477(B)] (ab177479) at 1/1000 dilution

Lane 1 : Molt-4 cell lysate

Lane 2 : A431 cell lysate


Lane 3 : Jurkat cell lysate

Lane 4 : HeLa cell lysate

Lane 5 : K562 cell lysate


Lysates/proteins at 10 µg per lane.

Predicted band size: 50 kDa



Immunoprecipitation - Anti-TUBA4A antibody
[EPR13477(B)] (ab177479)


Western blot analysis on immunoprecipitation pellet from (1) Jurkat cell lysate or (2) 1X PBS (negative control) using ab177479, and HRP-conjugated anti-rabbit IgG preferentially detecting the non-reduced form of rabbit IgG.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TUBA4A antibody
[EPR13477(B)] (ab177479)

Immunohistochemical analysis of paraffin-embedded Human testis tissue labeling TUBA4A with ab177479 at 1/100 dilution.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TUBA4A antibody [EPR13477(B)] (ab177479)


Immunohistochemical analysis of paraffin-embedded Human uterus tissue labeling TUBA4A with ab177479 at 1/100 dilution.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunocytochemistry/ Immunofluorescence - Anti-TUBA4A antibody [EPR13477(B)] (ab177479)

Immunofluorescent analysis of A431 cells labeling TUBA4A with ab177479 at 1/100 dilution (red). DAPI nuclear staining (blue).



Flow Cytometry (Intracellular) - Anti-TUBA4A antibody [EPR13477(B)] (ab177479)

Intracellular flow cytometric analysis of permeabilized K562 cells labeling TUBA4A with ab177479 at 1/10 dilution (red) compared to a rabbit IgG negative control (green).

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-TUBA4A antibody [EPR13477(B)] (ab177479)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors