

Product datasheet

Anti-Surfactant protein D antibody [EP9191] ab168366

RabMAb[®]

1 Image

Overview

Product name	Anti-Surfactant protein D antibody [EP9191]
Description	Rabbit monoclonal [EP9191] to Surfactant protein D
Host species	Rabbit
Tested applications	Suitable for: WB Unsuitable for: Flow Cyt, ICC, IHC-P or IP
Species reactivity	Reacts with: Mouse, Rat, Human
Immunogen	Synthetic peptide within Human Surfactant protein D aa 300 to the C-terminus. The exact sequence is proprietary. Database link: P35247
	Run BLAST with Run BLAST with
Positive control	Human fetal lung, mouse lung, rat lung, A549, and A375 lysates.
General notes	Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
Storage buffer	Preservative: 0.01% Sodium azide Constituents: 50% Glycerol, 0.05% BSA
Purity	Tissue culture supernatant
Clonality	Monoclonal
Clone number	EP9191
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab168366** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/10000. Predicted molecular weight: 38 kDa.

Application notes Is unsuitable for Flow Cyt, ICC, IHC-P or IP.

Target


Function Contributes to the lung's defense against inhaled microorganisms. May participate in the extracellular reorganization or turnover of pulmonary surfactant. Binds strongly maltose residues and to a lesser extent other alpha-glucosyl moieties.

Sequence similarities Belongs to the SFTPD family.
Contains 1 C-type lectin domain.
Contains 1 collagen-like domain.

Post-translational modifications The N-terminus is blocked.
Hydroxylation on proline residues within the sequence motif, GXPG, is most likely to be 4-hydroxy as this fits the requirement for 4-hydroxylation in vertebrates.

Cellular localization Secreted > extracellular space > extracellular matrix. Secreted > extracellular space > surface film.

Images



Western blot - Anti-Surfactant protein D antibody [EP9191] (ab168366)

All lanes : Anti-Surfactant protein D antibody [EP9191] (ab168366) at 1/1000 dilution

Lane 1 : Human fetal lung lysate

Lane 2 : mouse lung lysate

Lane 3 : rat lung lysate

Lane 4 : A549 lysate

Lane 5 : A375 lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat anti-rabbit HRP at 1/2000 dilution

Predicted band size: 38 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors