

Product datasheet

Anti-PI 3 Kinase p85 beta antibody ab71052

2 Images

Overview

Product name	Anti-PI 3 Kinase p85 beta antibody
Description	Rabbit polyclonal to PI 3 Kinase p85 beta
Host species	Rabbit
Tested applications	Suitable for: IHC-P, WB, ELISA
Species reactivity	Reacts with: Human
Immunogen	Synthetic peptide corresponding to amino acid residues surrounding Y467 of human PI 3 Kinase p85 beta
Positive control	Lysate from transfected 293 cell lysate; Human brain tissue .

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Preservative: 0.09% Sodium azide Constituent: PBS
Purity	Immunogen affinity purified
Purification notes	The antibody was purified through a protein A column, followed by peptide affinity purification.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab71052** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/10 - 1/50.
WB		1/50 - 1/100. Predicted molecular weight: 82 kDa.

Application	Abreviews	Notes
ELISA		1/1000.

Target

Function

Regulatory subunit of phosphoinositide-3-kinase (PI3K), a kinase that phosphorylates PtdIns(4,5)P2 (Phosphatidylinositol 4,5-bisphosphate) to generate phosphatidylinositol 3,4,5-trisphosphate (PIP3). PIP3 plays a key role by recruiting PH domain-containing proteins to the membrane, including AKT1 and PDK1, activating signaling cascades involved in cell growth, survival, proliferation, motility and morphology. Binds to activated (phosphorylated) protein-tyrosine kinases, through its SH2 domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane. Indirectly regulates autophagy (PubMed:23604317). Promotes nuclear translocation of XBP1 isoform 2 in a ER stress- and/or insulin-dependent manner during metabolic overloading in the liver and hence plays a role in glucose tolerance improvement.

Involvement in disease

Megalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome 1

Sequence similarities

Belongs to the PI3K p85 subunit family.
Contains 1 Rho-GAP domain.
Contains 2 SH2 domains.
Contains 1 SH3 domain.


Domain

The SH2 2 domain is required for interaction with FBXL2 and PTPN13.

Post-translational modifications

Phosphorylated in response to signaling from activated receptor-type protein kinases (PubMed:19690332, PubMed:20068231). Dephosphorylated by PTPRJ (PubMed:18348712). Dephosphorylated at Tyr-655 by PTPN13. Phosphorylation of Tyr-655 impairs while its dephosphorylation promotes interaction with FBXL2 and SCF(FBXL2)-mediated polyubiquitination (PubMed:23604317). Ubiquitinated. Polyubiquitination by the SCF(FBXL2) complex probably promotes proteasomal degradation of PIK3R2.

Images



All lanes : Anti-PI 3 Kinase p85 beta antibody (ab71052) at 1/50 dilution


Lane 1 : 293 cell lysate, non transfected

Lane 2 : 293 cell lysate, transiently transfected with the PI 3 Kinase p85 beta gene

Lysates/proteins at 2 µg per lane.

Predicted band size: 82 kDa

Observed band size: 82 kDa



1/10 ab71052, staining PI 3 Kinase p85 beta in formalin fixed, paraffin embedded human brain tissue (peroxidase conjugated secondary antibody, DAB staining).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-PI 3 Kinase p85 beta antibody (ab71052)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors