

## Product datasheet

# Anti-ADAM12 antibody - Aminoterminal end ab39155

★★★★☆ 3 Abreviews 7 References 1 Image

### Overview

<b>Product name</b>	Anti-ADAM12 antibody - Aminoterminal end
<b>Description</b>	Rabbit polyclonal to ADAM12 - Aminoterminal end
<b>Host species</b>	Rabbit
<b>Specificity</b>	This antibody recognizes latent unprocessed and processed forms of ADAM12, but does not react with other ADAMs.
<b>Tested applications</b>	<b>Suitable for:</b> WB
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse, Rat, Human, Pig
<b>Immunogen</b>	Synthetic peptide corresponding to Human ADAM12 (N terminal).

### Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
<b>Storage buffer</b>	pH: 7.40 Preservative: 0.05% Sodium azide Constituents: 50% Glycerol, 2.9% Sodium chloride, PBS
<b>Purity</b>	Immunogen affinity purified
<b>Purification notes</b>	The antibody has been peptide affinity purified.
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

### Applications

Our [Abpromise guarantee](#) covers the use of **ab39155** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes

Application	Abreviews	Notes
WB		1/1000 - 1/5000. Predicted molecular weight: 100 kDa. A recommended starting concentration for Western blots is 1/1000 when using colorimetric substrates such as BCIP/NBT and 1/5000 for chemiluminescent substrates. EDTA/EGTA treatment of tissues or lysates is required to see latent zymogen.
<b>Target</b>		
<b>Function</b>		Involved in skeletal muscle regeneration, specifically at the onset of cell fusion. Also involved in macrophage-derived giant cells (MGC) and osteoclast formation from mononuclear precursors.
<b>Tissue specificity</b>		Isoform 1 is expressed in placenta and skeletal, cardiac, and smooth muscle. Isoform 2 seems to be expressed only in placenta or in embryo and fetus. Both forms were expressed in some tumor cells lines. Not detected in brain, lung, liver, kidney or pancreas.
<b>Sequence similarities</b>		Contains 1 disintegrin domain. Contains 1 EGF-like domain. Contains 1 peptidase M12B domain.
<b>Domain</b>		The cysteine-rich domain supports cell adhesion through syndecans and triggers signaling events that lead to beta-1 integrin-dependent cell spreading. In carcinomas cells the binding of this domain to syndecans does not allow the integrin-mediated cell spreading. The conserved cysteine present in the cysteine-switch motif binds the catalytic zinc ion, thus inhibiting the enzyme. The dissociation of the cysteine from the zinc ion upon the activation-peptide release activates the enzyme.
<b>Post-translational modifications</b>		The precursor is cleaved by a furin endopeptidase.
<b>Cellular localization</b>		Secreted and Cell membrane.

## Images



Western blot - Anti-ADAM12 antibody - Aminoterminal end (ab39155)

Anti-ADAM12 antibody - Aminoterminal end (ab39155) at 1/1000 dilution + Human heart tissue lysate - total protein (ab29431) at 10 µg

### Secondary

Goat polyclonal to Rabbit IgG - H&L - Pre-Adsorbed (HRP) (ab65484) at 1/3000 dilution

**Predicted band size:** 100 kDa

**Observed band size:** 84 kDa

[why is the actual band size different from the predicted?](#)

**Additional bands at:** 117 kDa, 42 kDa, 50 kDa. We are unsure as to the identity of these extra bands.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors