

Product datasheet

Apoptosis Western Blot Cocktail (pro/p17-caspase-3, cleaved PARP1, muscle actin) ab136812

24 References 2 Images

Overview

Product name	Apoptosis Western Blot Cocktail (pro/p17-caspase-3, cleaved PARP1, muscle actin)
Species reactivity	Reacts with: Human Does not react with: Mouse, Rat
Product overview	Cocktail of primary antibodies to detect apoptosis biomarkers caspase 3 and PARP, along with loading control muscle actin (42 kDa). The caspase 3 antibody (rabbit monoclonal) detects both the 32 kDa pro-caspase 3 as well as the p17 subunit of active caspase 3 generated by cleavage of the pro-caspase 3 at Asp175. The PARP antibody (mouse monoclonal) detects only the apoptosis-specific 89 kDa PARP fragment (cleaved-PARP) generated from the full length PARP by active caspases. Since the primary antibodies used are both mouse and rabbit, a secondary antibodies cocktail of GAM-HRP and GAR-HRP is provided.
Notes	The Apoptosis western blot cocktail (ab136812) is designed to study the induction of apoptosis in response to various stimuli. The two main components of this cocktail are monoclonal antibodies specific to caspase 3 and PARP. Caspase 3 is one of the executioner caspases activated by proteolytic cleavage during apoptosis. The rabbit caspase 3 antibody of this cocktail detects both the 32 kDa pro-caspase 3 as well as the p17 subunit of the active caspase 3 generated by cleavage of the pro-caspase 3 at Asp175. Thus the induction of apoptosis can be followed by a decrease of the pro-caspase 3 or by an increase of the p17 caspase 3. Monitoring the changes in the pro-caspase 3 is particularly advantageous, since the proportion of caspase activation can be determined from the reduction of the pro-form from analysis of control and stimulated samples. Poly [ADP-ribose] polymerase 1 (PARP) is a DNA repair enzyme that is cleaved during apoptosis by activated caspases. The mouse PARP antibody of this cocktail detects only the apoptosis-specific 89 kDa PARP fragment (cleaved-PARP). This antibody does not react with the full-length PARP. Combined, these two antibodies provide biomarkers of apoptosis. The rabbit muscle actin antibody is provided as a loading control for sample to sample normalization. Since the primary antibodies are both mouse and rabbit, the cocktail of HRP-conjugated goat anti-rabbit and anti-mouse secondary antibodies is provided for convenience. The targets are easily resolved by Western blot given their different molecular weights.
Tested applications	Suitable for: WB

Properties

Storage instructions Store at +4°C. Please refer to protocols.

Components	200 µl
100X HRP Conjugated Secondary Antibody Cocktail	1 x 500µl
250X Primary Antibody Cocktail	1 x 200µl

Applications


The Abpromise guarantee

Our [Abpromise guarantee](#) covers the use of ab136812 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use at an assay dependent concentration. 1/250 dilution for primary antibodies 1/100 dilution for secondary antibodies Suggested dilution buffer: 5% milk/PBS+0.05% Tween 20

Images



Lane 1: Jurkat cells, untreated

Lane 2: Jurkat cells treated with anti-FAS for 2 hours

Lane 3: Jurkat cells treated with anti-FAS for 4 hours

Lane 4: Jurkat cells treated with anti-FAS for 6 hours


All lysates at 20 µg/lane

Primary antibodies

All lanes: 250X Primary Antibodies Cocktail, 1/250 dilution.

Secondary antibodies

All lanes: 100X HRP-Conjugated Secondary Antibodies Cocktail (ab136812), 1/100 dilution.



Lanes 1, 3, 5, 7: (ab136806) HeLa, vehicle treated
 Lanes 2, 4, 6, 8: (ab136806) HeLa, 1 μ M staurosporine
 (ab120056), 4 hours
 All lysates at 20 μ g per lane.

Primary antibodies

Lanes 1, 2: Cleaved PARP

Lanes 3, 4: Actin

Lanes 5, 6: Caspase 3

Lanes 7, 8: ab136812 250X Primary Antibodies Cocktail, 1/250 dilution

Secondary antibodies

All lanes: ab136812 100X HRP-Conjugated Secondary Antibodies Cocktail, 1/100 dilution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors