

Product datasheet

beta-Amyloid Peptide (42-1) (human), Inactive control  
ab120481

Overview

<b>Product name</b>	beta-Amyloid Peptide (42-1) (human), Inactive control
<b>Description</b>	Inactive control for Amyloid beta (1-42) ( <a href="#">ab120301</a> ) peptide
<b>CAS Number</b>	317366-82-8
<b>Chemical structure</b>	Ala-Ile-Val-Val-Gly-Gly-Val-Met-Leu-Gly-Ile-Ile-Ala-Gly-Lys-Asn-Ser-Gly-Val-Asp-Glu-Ala-Phe-Phe-Val-Leu-Lys-Gln-His-His-Val-Glu-Tyr-Gly-Ser-Asp-His-Arg-Phe-Glu-Ala-Asp

Properties

<b>Molecular weight</b>	4514.08
<b>Molecular formula</b>	C <sub>203</sub> H <sub>311</sub> N <sub>55</sub> O <sub>60</sub> S
<b>Sequence</b>	AMVGGVMLGIAGKNSGVDEAFFVLKQHHVEYGS DHRFEAD
<b>PubChem identifier</b>	71581486
<b>Storage instructions</b>	Store at -20°C. Store under desiccating conditions. The product can be stored for up to 12 months.
<b>Solubility overview</b>	Soluble in 0.1% NH <sub>4</sub> OH to 1mg/ml
<b>Handling</b>	<p>Wherever possible, you should prepare and use solutions on the same day. However, if you need to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one week. Before use, and prior to opening the vial we recommend that you allow your product to equilibrate to room temperature for at least 1 hour.</p> <p>Amyloid β (42-1) human peptide should be initially dissolved at a concentration of 1mg/ml in 100% HFIP (1,1,1,3,3,3-hexafluoro-2-propanol). This solution should be incubated at room temperature for 1 hour, with occasional vortexing at a moderate speed. Next, the solution should be sonicated for 10 minutes in a water bath sonicator. The HFIP/peptide solution should then be dried under a gentle stream of nitrogen gas. 100% DMSO should be used to re-suspend the peptide. This solution should be incubated at room temperature for 12 minutes, with occasional vortexing. The final solution should then be aliquoted into smaller volumes and stored at -80 °C. For a working solution, add 500-1000 µl of D-PBS (depending on the final concentration to be used) to the peptide stock solution and incubate for 2h at room temperature to allow for peptide aggregation.</p>

Need more advice on solubility, usage and handling? Please visit our [frequently asked questions \(FAQ\) page](#) for more details.

**Source**

Synthetic

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

**Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

**Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team