


Product datasheet

Anti-CD204 antibody ab217843

3 Images

Overview

<b>Product name</b>	Anti-CD204 antibody
<b>Description</b>	Rabbit polyclonal to CD204
<b>Host species</b>	Rabbit
<b>Tested applications</b>	<b>Suitable for:</b> WB, IHC-P
<b>Species reactivity</b>	<b>Reacts with:</b> Human <b>Predicted to work with:</b> Mouse, Rat 
<b>Immunogen</b>	Synthetic peptide within Human CD204 aa 200-300 conjugated to keyhole limpet haemocyanin. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please <a href="#">contact</a> our Scientific Support team to discuss your requirements. Database link: <a href="#">P21757</a> <a href="#">Run BLAST with</a> <a href="#">Run BLAST with</a>
<b>Positive control</b>	Human glioma and esophageal cancer tissues. Human colon carcinoma lysates.
<b>General notes</b>	This product was previously labelled as Macrophage Scavenger Receptor I

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
<b>Storage buffer</b>	pH: 7.2 Preservative: 0.09% Sodium azide Constituents: 1% BSA, 50% Glycerol (glycerin, glycerine)

<b>Purity</b>	Protein A purified
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

## Applications


**The Abpromise guarantee** Our [Abpromise guarantee](#) covers the use of ab217843 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
<b>WB</b>		1/100 - 1/1000. Detects a band of approximately 41 kDa (predicted molecular weight: 41 kDa).
<b>IHC-P</b>		1/100 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

## Target


<b>Function</b>	Membrane glycoproteins implicated in the pathologic deposition of cholesterol in arterial walls during atherogenesis. Two types of receptor subunits exist. These receptors mediate the endocytosis of a diverse group of macromolecules, including modified low density lipoproteins (LDL). Isoform III does not internalize acetylated LDL.
<b>Tissue specificity</b>	Isoform I, isoform II and isoform III are expressed in monocyte-derived macrophages.
<b>Sequence similarities</b>	Contains 1 collagen-like domain. Contains 1 SRCR domain.
<b>Cellular localization</b>	Membrane.

## Images




Immunohistochemical analysis of formalin-fixed paraffin-embedded Human glioma tissue, labeling CD204 using ab217843 at a 1/200 dilution, followed by conjugation to the secondary antibody and DAB staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CD204 antibody (ab217843)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CD204 antibody (ab217843)

Immunohistochemical analysis of formalin-fixed paraffin-embedded Human esophageal cancer tissue, labeling CD204 using ab217843 at a 1/200 dilution, followed by conjugation to the secondary antibody and DAB staining.



Western blot - Anti-CD204 antibody (ab217843)

**All lanes :** Anti-CD204 antibody (ab217843) at 1/200 dilution

**Lane 1 :** Human colon carcinoma lysates

**Lane 2 :** rat brain lysates

#### **Secondary**

**All lanes :** goat anti-rabbit IgG antibody (H+L) HRP-conjugated at 1/3000 dilution

Developed using the ECL technique.

**Predicted band size:** 41 kDa

**Observed band size:** 41 kDa

12% gel

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### **Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors