

Product datasheet

Anti-COL4A5 antibody ab231957

★ ★ ★ ★ ★ [1 Abreviews](#) [1 References](#) [4 Images](#)

Overview

Product name	Anti-COL4A5 antibody
Description	Rabbit polyclonal to COL4A5
Host species	Rabbit
Tested applications	Suitable for: IHC-P, WB
Species reactivity	Reacts with: Mouse, Human, Pig Predicted to work with: Dog 
Immunogen	Recombinant fragment corresponding to Human COL4A5 aa 1450-1700. Two N-terminal tags, His-tag and S-tag, expressed in E.coli. Database link: P29400 Run BLAST with Run BLAST with
Positive control	IHC-P: Human kidney tissue. WB: Recombinant human COL4A5 protein; Mouse and pig cerebrum lysates.
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.40 Preservative: 0.011% Proclin 300 Constituents: 55.77% Glycerol (glycerin, glycerine), 44.219% PBS
Purity	Immunogen affinity purified
Purification notes	Antigen-specific affinity chromatography followed by Protein A affinity chromatography.
Clonality	Polyclonal

Isotype

IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab231957 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P	★ ★ ★ ★ ★ (1)	Use a concentration of 5 - 20 µg/ml.
WB		Use a concentration of 0.2 - 2 µg/ml. Predicted molecular weight: 161 kDa.

Target

Function

Type IV collagen is the major structural component of glomerular basement membranes (GBM), forming a 'chicken-wire' meshwork together with laminins, proteoglycans and entactin/nidogen.

Tissue specificity

Isoform 2 is found in kidney.

Involvement in disease

Alport syndrome, X-linked

Deletions covering the N-terminal regions of COL4A5 and COL4A6, which are localized in a head-to-head manner, are found in the chromosome Xq22.3 centromeric deletion syndrome. This results in a phenotype with features of diffuse leiomyomatosis and Alport syndrome (DL-ATS).

Sequence similarities

Belongs to the type IV collagen family.

Contains 1 collagen IV NC1 (C-terminal non-collagenous) domain.

Domain

Alpha chains of type IV collagen have a non-collagenous domain (NC1) at their C-terminus, frequent interruptions of the G-X-Y repeats in the long central triple-helical domain (which may cause flexibility in the triple helix), and a short N-terminal triple-helical 7S domain.

Post-translational modifications

Prolines at the third position of the tripeptide repeating unit (G-X-Y) are hydroxylated in some or all of the chains.


Type IV collagens contain numerous cysteine residues which are involved in inter- and intramolecular disulfide bonding. 12 of these, located in the NC1 domain, are conserved in all known type IV collagens.

The trimeric structure of the NC1 domains is stabilized by covalent bonds between Lys and Met residues.

Cellular localization

Secreted, extracellular space, extracellular matrix, basement membrane.

Images




Western blot - Anti-COL4A5 antibody (ab231957)

Anti-COL4A5 antibody (ab231957) at 2 μ g/ml + Pig cerebrum lysate.

Developed using the ECL technique.

Predicted band size: 161 kDa




Western blot - Anti-COL4A5 antibody (ab231957)

Anti-COL4A5 antibody (ab231957) at 2 μ g/ml + Mouse cerebrum lysate.

Developed using the ECL technique.

Predicted band size: 161 kDa




Western blot - Anti-COL4A5 antibody (ab231957)

Anti-COL4A5 antibody (ab231957) at 2 µg/ml + Recombinant human COL4A5 protein.

Developed using the ECL technique.

Predicted band size: 161 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-COL4A5 antibody (ab231957)

Formalin-fixed, paraffin-embedded human kidney tissue stained for COL4A5 using ab231957 at 20 µg/mL in immunohistochemical analysis. DAB staining.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors