

## Product datasheet

# Anti-DAZL antibody [EPR21028] - BSA and Azide free ab228135

**KO VALIDATED** Recombinant RabMAb

7 Images

### Overview

<b>Product name</b>	Anti-DAZL antibody [EPR21028] - BSA and Azide free
<b>Description</b>	Rabbit monoclonal [EPR21028] to DAZL - BSA and Azide free
<b>Host species</b>	Rabbit
<b>Tested applications</b>	<b>Suitable for:</b> IHC-P, WB, IHC-Fr, IP
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse, Rat, Human
<b>Immunogen</b>	Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.
<b>Positive control</b>	IHC-P: Human testis tissue.
<b>General notes</b>	<p>ab228135 is the carrier-free version of <a href="#">ab215718</a>.</p> <p>Our <a href="#">carrier-free</a> antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.</p> <p>This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.</p> <p>Use our <a href="#">conjugation kits</a> for antibody conjugates that are ready-to-use in as little as 20 minutes with &lt;1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.</p> <p>This product is compatible with the Maxpar<sup>®</sup> Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.</p> <p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> <li>- High batch-to-batch consistency and reproducibility</li> <li>- Improved sensitivity and specificity</li> <li>- Long-term security of supply</li> <li>- Animal-free production</li> </ul> <p>For more information <a href="#">see here</a>.</p> <p>Our RabMAb<sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <a href="#">RabMAb<sup>®</sup> patents</a>.</p>

## Properties

---

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C. Do Not Freeze.
<b>Storage buffer</b>	pH: 7.2 Constituent: PBS
<b>Carrier free</b>	Yes
<b>Purity</b>	Protein A purified
<b>Clonality</b>	Monoclonal
<b>Clone number</b>	EPR21028
<b>Isotype</b>	IgG

## Applications

---

**The Abpromise guarantee** Our [Abpromise guarantee](#) covers the use of ab228135 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Detects a band of approximately 38 kDa (predicted molecular weight: 33 kDa).
IHC-Fr		Use at an assay dependent concentration. Perform heat mediated antigen retrieval by using sodium citrate buffer (pH 6.0).
IP		Use at an assay dependent concentration.


## Target

---

<b>Function</b>	RNA-binding protein, which is essential for gametogenesis. Plays a central role during spermatogenesis. May act by binding to the 3'-UTR of mRNA and thereby regulating the translation of key transcripts.
<b>Tissue specificity</b>	Testis specific.
<b>Sequence similarities</b>	Belongs to the RRM DAZ family. Contains 1 DAZ-like domain. Contains 1 RRM (RNA recognition motif) domain.
<b>Domain</b>	The DAZ-like domain mediates the interaction with DAZAP1 and DAZAP2.
<b>Cellular localization</b>	Cytoplasm. Nucleus. Predominantly cytoplasmic (By similarity). Nuclear in spermatogonia until near the end of the meiotic prophase and cytoplasmic localization from then onward.

---

## Images




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DAZL antibody [EPR21028] - BSA and Azide free (ab228135)

Immunohistochemical analysis of paraffin-embedded mouse testis tissue labeling DAZL with [ab215718](#) at 1/4000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) Ready to use. Cytoplasmic staining in spermatogonia and primary spermatocytes of mouse testis (PMID: 24746554) is observed. Counterstained with hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide ([ab215718](#)).

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DAZL antibody [EPR21028] - BSA and Azide free (ab228135)

Immunohistochemical analysis of paraffin-embedded rat testis tissue labeling DAZL with [ab215718](#) at 1/4000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) Ready to use. Cytoplasmic staining in spermatogonia and primary spermatocytes of rat testis (PMID: 24746554) is observed. Counterstained with hematoxylin

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide ([ab215718](#)).

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.




Immunohistochemistry (Frozen sections) - Anti-DAZL antibody [EPR21028] - BSA and Azide free (ab228135)

Immunohistochemical analysis of 4% paraformaldehyde-fixed, 0.2% Triton-X-100 permeabilized frozen mouse testis tissue labeling DAZL with [ab215718](#) at 1/300 dilution, followed by Goat Anti-Rabbit IgG H&L (Alexa Fluor® 488) ([ab150077](#)) secondary antibody at 1/1000 dilution (green). Cytoplasmic staining in the pachytene spermatocytes and secondary spermatocytes, not present in Sertoli, Leydig or myoid cells (PMID: 24746554).

The nuclear counter stain is DAPI (blue).

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (Alexa Fluor® 488) ([ab150077](#)) secondary antibody at 1/1000 dilution.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide ([ab215718](#)).




Immunohistochemistry (Frozen sections) - Anti-DAZL antibody [EPR21028] - BSA and Azide free (ab228135)

Immunohistochemical analysis of 4% paraformaldehyde-fixed, 0.2% Triton-X-100 permeabilized frozen rat testis tissue labeling DAZL with [ab215718](#) at 1/60 dilution, followed by Goat Anti-Rabbit IgG H&L (Alexa Fluor® 488) ([ab150077](#)) secondary antibody at 1/1000 dilution (green). Cytoplasmic staining in the pachytene spermatocytes and secondary spermatocytes, not present in Sertoli, Leydig or myoid cells (PMID: 24746554).

The nuclear counter stain is DAPI (blue).

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (Alexa Fluor® 488) ([ab150077](#)) secondary antibody at 1/1000 dilution.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide ([ab215718](#)).



Immunoprecipitation - Anti-DAZL antibody  
[EPR21028] - BSA and Azide free (ab228135)

DAZL was immunoprecipitated from 0.35 mg mouse testis lysate with [ab215718](#) at 1/30 dilution. Western blot was performed from the immunoprecipitate using [ab215718](#) at 1/1000 dilution. VeriBlot for IP Detection Reagent (HRP) ([ab131366](#)), was used for detection at 1/10000 dilution.

Lane 1: Mouse testis lysate 10 µg (Input).


Lane 2: [ab215718](#) IP in mouse testis lysate.

Lane 3: Rabbit monoclonal IgG ([ab172730](#)) instead of [ab215718](#) in mouse testis lysate.

Blocking and dilution buffer and concentration: 5% NFDm/TBST.

Exposure time: 3 seconds.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide ([ab215718](#)).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DAZL antibody  
[EPR21028] - BSA and Azide free (ab228135)

Immunohistochemical analysis of paraffin-embedded human testis tissue labeling DAZL with [ab215718](#) at 1/8000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) Ready to use. Cytoplasmic staining in primary spermatocytes of human testis (PMID: 24746554) is observed. Counterstained with hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide ([ab215718](#)).

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

### Why choose a recombinant antibody?



**Research with confidence**  
Consistent and reproducible results



**Long-term and scalable supply**  
Recombinant technology



**Success from the first experiment**  
Confirmed specificity



**Ethical standards compliant**  
Animal-free production

Anti-DAZL antibody [EPR21028] - BSA and Azide free (ab228135)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors