abcam

Product datasheet

Anti-DIPP antibody ab126962

2 Images

Overview

Product name Anti-DIPP antibody

Description Rabbit polyclonal to DIPP

Host species Rabbit

Tested applications Suitable for: WB, IHC-P

Species reactivity Reacts with: Human

Immunogen Recombinant fragment corresponding to Human DIPP aa 1-156.

Database link: O95989

Positive control IMR32 whole cell lysate; Human lung adenocarcinoma tissue.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

Storage buffer pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 78.99% PBS, 1% BSA, 20% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab126962 in the following tested applications.

1


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 19 kDa.
IHC-P		1/100 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Target

Function	Cleaves a beta-phosphate from the diphosphate groups in PP-InsP5 (diphosphoinositol pentakisphosphate) and [PP]2-InsP4 (bisdiphosphoinositol tetrakisphosphate), suggesting that it may play a role in signal transduction. InsP6 (inositol hexakisphophate) is not a substrate. Acts as a negative regulator of the ERK1/2 pathway. Also able to catalyze the hydrolysis of dinucleoside oligophosphates, with Ap6A and Ap5A being the preferred substrates. The major reaction products are ADP and p4a from Ap6A and ADP and ATP from Ap5A. Also able to hydrolyze 5-phosphoribose 1-diphosphate.
Tissue specificity	Widely expressed. Expressed at higher level in brain, heart, pancreas and liver. Also expressed in placenta, lung and kidney.
Sequence similarities	Belongs to the Nudix hydrolase family. DIPP subfamily. Contains 1 nudix hydrolase domain.
Cellular localization	Cytoplasm.


Images



Anti-DIPP antibody (ab126962) at 1/1000 dilution + IMR32 whole cell lysate at 30 μg

Predicted band size: 19 kDa

12% SDS PAGE



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-DIPP antibody (ab126962)

ab126962, at a dilution of 1/500, staining DIPP in paraffinembedded Human lung adenocarcinoma tissue by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors