

Product datasheet

Anti-DNA Polymerase beta antibody [EPR12722(B)] - BSA and Azide free ab249852

Recombinant RabMAb

5 Images

Overview

Product name	Anti-DNA Polymerase beta antibody [EPR12722(B)] - BSA and Azide free
Description	Rabbit monoclonal [EPR12722(B)] to DNA Polymerase beta - BSA and Azide free
Host species	Rabbit
Specificity	The human recommendation is based on the WB results. We do not guarantee IHC-P for human.
Tested applications	Suitable for: Flow Cyt, WB, IHC-P, ICC/IF Unsuitable for: IP
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat 
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
Positive control	WB: HeLa, Jurkat, K-562, A431, Mouse brain lysate, mouse spleen lysate, rat brain lysate, rat spleen lysate, C6 cell lysate ICC/IF: K-562 (Human chronic myelogenous leukemia lymphoblast) IHC: human lung carcinoma
General notes	<p>ab249852 is the carrier-free version of ab175197.</p> <p>We are constantly working hard to ensure we provide our customers with best in class antibodies. As a result of this work we are pleased to now offer this antibody in purified format. We are in the process of updating our datasheets. The purified format is designated 'PUR' on our product labels. If you have any questions regarding this update, please contact our Scientific Support team.</p> <p>Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.</p> <p>This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.</p> <p>Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.</p> <p>This product is compatible with the Maxpar[®] Antibody Labeling Kit from Fluidigm, without the</p>

need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information [see here](#).

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to [RabMAb[®] patents](#).

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C. Do Not Freeze.
Storage buffer	pH: 7.2 Constituent: PBS
Carrier free	Yes
Purity	Protein A purified
Clonality	Monoclonal
Clone number	EPR12722(B)
Isotype	IgG

Applications

The Abpromise guarantee Our [Abpromise guarantee](#) covers the use of ab249852 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
Flow Cyt		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration. Predicted molecular weight: 38 kDa.
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. The human recommendation is based on the WB results. We do not guarantee IHC-P for human.
ICC/IF		Use at an assay dependent concentration.

Application notes Is unsuitable for IP.

Target

Function	Repair polymerase. Conducts "gap-filling" DNA synthesis in a stepwise distributive fashion rather than in a processive fashion as for other DNA polymerases. Has a 5'-deoxyribose-5-phosphate lyase (dRP lyase) activity.
Sequence similarities	Belongs to the DNA polymerase type-X family.
Domain	Residues 239-252 form a flexible loop which appears to affect the polymerase fidelity.
Post-translational modifications	Methylation by PRMT6 stimulates the polymerase activity by enhancing DNA binding and processivity.
Cellular localization	Nucleus, Cytoplasm

Images



Lanes 1-7 : Anti-DNA Polymerase beta antibody [EPR12722(B)] ([ab175197](#)) at 1/1000 dilution (Purified)

Lanes 8-9 : Anti-DNA Polymerase beta antibody [EPR12722(B)] ([ab175197](#)) at 1/1000 dilution

Lane 1 : HeLa (Human cervix adenocarcinoma epithelial cell) whole cell lysate

Lane 2 : Jurkat (Human T cell leukemia T lymphocyte) whole cell lysate

Lane 3 : K-562 (Human chronic myelogenous leukemia lymphoblast) whole cell lysate

Lane 4 : A431 (Human epidermoid carcinoma epithelial cell) whole cell lysate

Lane 5 : Mouse brain lysate

Lane 6 : Mouse spleen lysate

Lane 7 : Rat brain lysate

Lane 8 : Rat spleen lysate


Lane 9 : C6 (Rat glial tumor glial cell) whole cell lysate

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/20000 dilution

Predicted band size: 38 kDa


Observed band size: 38 kDa



Immunocytochemistry/ Immunofluorescence - Anti-DNA Polymerase beta antibody [EPR12722(B)] - BSA and Azide free (ab249852)

This data was developed using [ab175197](#), the same antibody clone in a different buffer formulation.


Immunocytochemistry analysis of K-562 (Human chronic myelogenous leukemia lymphoblast) cells labeling DNA Polymerase beta with Purified [ab175197](#) at 1:50 dilution (3.1 ?g/ml). Cells were fixed in 100% Methanol and permeabilized with 0.1% tritonX-100. Cells were counterstained with Ab195889 Anti-alpha Tubulin antibody [DM1A] - Microtubule Marker (Alexa Fluor® 594) 1:200 (2.5 µg/ml). Goat anti rabbit IgG (Alexa Fluor® 488, [ab150077](#)) was used as the secondary antibody at 1:1000 (2 µg/ml) dilution. DAPI (blue) was used as nuclear counterstain. PBS instead of the primary antibody was used as the secondary antibody only control.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DNA Polymerase beta antibody [EPR12722(B)] - BSA and Azide free (ab249852)

This data was developed using [ab249852](#), the same antibody clone in a different buffer formulation.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human lung carcinoma tissue sections labeling DNA Polymerase beta with Purified [ab249852](#) at 1:500 dilution (0.31 ?g/ml). Heat mediated antigen retrieval was performed using Heat mediated antigen retrieval using Bond™ Epitope Retrieval Solution 2 (pH 9.0) . Tissue was counterstained with Hematoxylin. Rabbit specific IHC polymer detection kit HRP/DAB ([ab209101](#)) secondary antibody was used at 1:0 dilution. PBS instead of the primary antibody was used as the negative control. M3



This data was developed using ab249852, the same antibody clone in a different buffer formulation.

Flow Cytometry analysis of A431 (Human epidermoid carcinoma epithelial cell) cells labelling DNA Polymerase beta with Purified ab249852 at 1:200 dilution (1 µg/ml) (Red). Cells were fixed with 4% Paraformaldehyde and permeabilised with 90% Methanol. A Goat anti rabbit IgG (Alexa Fluor™ 488, [ab150077](#)) secondary antibody was used at 1:2000. Isotype control - Rabbit monoclonal IgG (Black). Unlabelled control - Cell without incubation with primary antibody and secondary antibody (Blue).

Flow Cytometry - Anti-DNA Polymerase beta antibody [EPR12722(B)] - BSA and Azide free (ab249852)

Why choose a recombinant antibody?

 Research with confidence Consistent and reproducible results	 Long-term and scalable supply Recombinant technology
 Success from the first experiment Confirmed specificity	 Ethical standards compliant Animal-free production

Anti-DNA Polymerase beta antibody [EPR12722(B)]
- BSA and Azide free (ab249852)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors