

Product datasheet

Anti-Fibrinogen gamma chain antibody [5A6] ab119948

★★★★★ 1 Abreviews 4 References 3 Images

Overview

Product name	Anti-Fibrinogen gamma chain antibody [5A6]
Description	Mouse monoclonal [5A6] to Fibrinogen gamma chain
Host species	Mouse
Tested applications	Suitable for: WB, ELISA, ICC/IF
Species reactivity	Reacts with: Mouse, Human
Immunogen	Recombinant fragment, corresponding to amino acids 210-437 of Human Fibrinogen gamma chain
Positive control	Recombinant Fibrinogen gamma chain protein, NIH3T3 cells
General notes	This product was changed from ascites to supernatant. Lot no's high than GR240839-12 are from Tissue Culture Supernatant

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C long term.
Storage buffer	Preservative: 0.05% Sodium azide Constituent: PBS
Purity	Protein G purified
Purification notes	Purified from tissue culture supernatant.
Clonality	Monoclonal
Clone number	5A6
Isotype	IgG2b

Applications

Our [Abpromise guarantee](#) covers the use of **ab119948** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB	★★★★★	1/500 - 1/2000. Predicted molecular weight: 52 kDa.
ELISA		1/10000.
ICC/IF		1/200 - 1/1000.

Target

Function	Fibrinogen has a double function: yielding monomers that polymerize into fibrin and acting as a cofactor in platelet aggregation.
Involvement in disease	Defects in FGG are a cause of thrombophilia. Defects in FGG are a cause of congenital afibrinogenemia (CAFBN) [MIM:202400]. It is a rare autosomal recessive disorder characterized by complete absence of detectable fibrinogen.
Sequence similarities	Contains 1 fibrinogen C-terminal domain.
Domain	A long coiled coil structure formed by 3 polypeptide chains connects the central nodule to the C-terminal domains (distal nodules). The long C-terminal ends of the alpha chains fold back, contributing a fourth strand to the coiled coil structure.
Post-translational modifications	Conversion of fibrinogen to fibrin is triggered by thrombin, which cleaves fibrinopeptides A and B from alpha and beta chains, and thus exposes the N-terminal polymerization sites responsible for the formation of the soft clot. The soft clot is converted into the hard clot by factor XIIIa which catalyzes the epsilon-(gamma-glutamyl)lysine cross-linking between gamma chains (stronger) and between alpha chains (weaker) of different monomers. Sulfation of C-terminal tyrosines increases affinity for thrombin.
Cellular localization	Secreted.


Images



Anti-Fibrinogen gamma chain antibody [5A6] (ab119948) at 1/500 dilution + Recombinant Fibrinogen gamma chain protein


Predicted band size: 52 kDa

Western blot - Anti-Fibrinogen gamma chain antibody [5A6] (ab119948)



Immunofluorescence analysis of NIH3T3 cells using ab119948 at a dilution of 1/200 (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.

Immunocytochemistry/ Immunofluorescence - Anti-Fibrinogen gamma chain antibody [5A6] (ab119948)



ELISA, using ab119948 at a dilution of 1/10000.

ELISA - Anti-Fibrinogen gamma chain antibody [5A6] (ab119948)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors