

Product datasheet

Goat Anti-Chicken IgY H&L (Cy2[®]) preadsorbed ab6960

5 References

Overview

Product name	Goat Anti-Chicken IgY H&L (Cy2 [®]) preadsorbed
Description	Goat polyclonal Secondary Antibody to Chicken IgY - H&L (Cy2 [®]), pre-adsorbed
Host species	Goat
Target species	Chicken
Tested applications	Suitable for: ICC/IF, IHC-P, IHC-Fr, ICC, Flow Cyt, ELISA
Minimal cross-reactivity	Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rabbit, Rat, Sheep more details
Immunogen	Full length native Chicken IgY (purified).
Conjugation	Cy2 [®] . Ex: 489nm, Em: 505nm

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C.
Storage buffer	Preservative: 0.01% Sodium azide Constituents: 0.42% Potassium phosphate, 0.87% Sodium chloride, 10% BSA
Purity	Immunogen affinity purified
Purification notes	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Chicken IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities.
Conjugation notes	Cy2 (Cyanine 2-OSu) (Molecular Weight 897 daltons) Absorption Wavelength: 489 nm Emission Wavelength: 505 nm Fluorochrome/Protein Ratio: 2.7 moles Cy2 per mole of Goat IgG
Clonality	Polyclonal
General notes	This product or portions thereof is manufactured under license from Carnegie Mellon University under U.S. Patent Number 5,268,486 and related patents. Cy and CyDye are trademarks of GE Healthcare Limited. This material is also subject to proprietary rights of GE Healthcare Bio-Sciences Corp. and Carnegie Mellon University and made and sold under License from GE Healthcare Bio-Sciences Corp. This product is licensed for sale only for research. It is NOT licensed for any other use. There is no implied license hereunder for any commercial use.

COMMERCIAL USE shall include: 1 Sale, lease, license or other transfer of the material or any material derived or produced from it. 2 Sale, lease, license or other grant of rights to use this material or any material derived or produced from it. 3 Use of this material to perform services for a fee for third parties. If you require a commercial license to use this material and do not have one, please return this material, unopened to Abcam Plc of 330 Cambridge Science Park, Cambridge, CB4 0FL, and any money paid for the material will be refunded.

This secondary antibody is specifically designed for the detection of multiple primary antibodies (polyclonal or monoclonal) of different host species in experiments where cells are simultaneously labeled without unwanted cross reaction.

Applications

The Abpromise guarantee Our [Abpromise guarantee](#) covers the use of ab6960 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		1/1000 - 1/5000.
IHC-P		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
ICC		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent dilution.
ELISA		1/10000 - 1/50000.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors

