abcam

Product datasheet

Human PPP1R26 (KIAA0649) knockout HeLa cell line ab265333

1 Image

Overview

Product name	Human PPP1R26 (KIAA0649) knockout HeLa cell line
Parental Cell Line	HeLa
Organism	Human
Mutation description	Knockout achieved by using CRISPR/Cas9, Homozygous: 1 bp insertion in exon 4
Passage number	<20
Knockout validation	Sanger Sequencing
Biosafety level	2
General notes	**Recommended control:** Human wild-type HeLa cell line (ab255928). Please note a wild-type cell line is not automatically included with a knockout cell line order, if required please add recommended wild-type cell line at no additional cost using the code WILDTYPE-TMTK1. **Cryopreservation cell medium:** Cell Freezing Medium-DMSO Serum free media, contains 8.7% DMSO in MEM supplemented with methyl cellulose. **Culture medium:** DMEM (High Glucose) + 10% FBS **Initial handling guidelines:** Upon arrival, the vial should be stored in liquid nitrogen vapor phase and not at -80ºC. Storage at -80ºC may result in loss of viability. 1. Thaw the vial in 37ºC water bath approximately 1-2 minutes. 2. Transfer the cell suspension (0.8 ml) to a 15 ml/50 ml conical sterile polypropylene centrifuge tube containing 8.4 ml pre-warmed **culture medium**, wash vial with an additional 0.8 ml **culture medium** (total volume 10 ml) to collect remaining cells, and centrifuge at 201 *x g* (rcf) for 5 minutes at room temperature. 10 ml represents minimum recommended dilution. 20 ml represents maximum recommended dilution. 3. Resuspend the cell pellet in 5 ml pre-warmed **culture medium** and count using a haemocytometer (Click here to view haemocytometer protocol) or alternative cell counting method. Based on cell count, seed cells in an appropriate cell culture flask at a density of $2x10^4$ cells/cm^2. This should allow for confluency within 48 hours. Seeding density is given as a guide only and should be scaled to align with individual lab schedules. 4. Incubate the culture at 37ºC incubator with 5% CO_2. Cultures should be monitored daily. **Subculture guidelines:** All seeding densities should be based on cell counts gained by established methods. A guide seeding density of $2x10^4$ cells/cm^2 is recommended for confluency (80-90% confluence)

within 48 hours.
A partial media change 24 hours prior to subculture may be helpful to encourage growth, if required.
Cells should be passaged when they have achieved 80-90% confluence.
Click here to view the Mammalian cell tissue culture protocol

This product is subject to limited use licenses from The Broad Institute, ERS Genomics Limited and Sigma-Aldrich Co. LLC, and is developed with patented technology. For full details of the licenses and patents please refer to our limited use license and patent pages.

Properties

Number of cells	1 x 10^6 cells/vial, 1 mL
Viability	~90%
Adherent /Suspension	Adherent
Tissue	Cervix
Cell type	epithelial
Disease	Adenocarcinoma
Gender	Female
STR Analysis	Amelogenin X D5S818: 11, 12 D13S317: 12, 13.3 D7S820: 8, 12 D16S539: 9, 10 vWA: 16, 18 TH01: 7 TPOX: 8,12 CSF1PO: 9, 10
Mycoplasma free	Yes
Storage instructions	Shipped on Dry Ice. Store in liquid nitrogen.
Storage buffer	Constituents: 8.7% DMSO, 2% Cellulose, methyl ether
Purity	Immunogen affinity purified

Target

Function	May positively regulate cell proliferation.
Tissue specificity	Ubiquitous in normal tissues. Expressed in numerous adenocarcinoma cell lines.
Cellular localization	Nucleus > nucleolus.

Images



Sanger Sequencing - Human PPP1R26 knockout HeLa cell line (ab265333)

Homozygous: 1 bp insertion in exon 4.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors