

Product datasheet

Anti-IkB beta (phospho S23) antibody ab75746

2 References 1 Image

Overview

Product name	Anti-IkB beta (phospho S23) antibody
Description	Rabbit polyclonal to IkB beta (phospho S23)
Host species	Rabbit
Specificity	ab75746 detects endogenous levels of total IkB beta protein.
Tested applications	Suitable for: IHC-P
Species reactivity	Reacts with: Human
Immunogen	Synthetic phosphopeptide derived from human IkB beta around the phosphorylation site of serine 23 (L-G-S ^P -L-G).
Positive control	Human breast carcinoma tissue.
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	<p>pH: 7.40</p> <p>Preservative: 0.02% Sodium azide</p> <p>Constituents: 0.87% Sodium chloride, 50% Glycerol (glycerin, glycerine), PBS</p> <p>Without Mg²⁺ and Ca²⁺</p>
Purity	Immunogen affinity purified
Purification notes	ab75746 was affinity purified from rabbit antiserum by affinity chromatography using epitope specific immunogen.
Clonality	Polyclonal

Isotype IgG

Applications


The Abpromise guarantee Our [Abpromise guarantee](#) covers the use of ab75746 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/50 - 1/100.

Target

Function	Inhibits NF-kappa-B by complexing with and trapping it in the cytoplasm. However, the unphosphorylated form resynthesized after cell stimulation is able to bind NF-kappa-B allowing its transport to the nucleus and protecting it to further NFKBIA-dependent inactivation. Association with inhibitor kappa B-interacting NKIRAS1 and NKIRAS2 prevent its phosphorylation rendering it more resistant to degradation, explaining its slower degradation.
Tissue specificity	Expressed in all tissues examined.
Sequence similarities	Belongs to the NF-kappa-B inhibitor family. Contains 6 ANK repeats.
Post-translational modifications	Phosphorylated by RPS6KA1; followed by degradation. Interaction with NKIRAS1 and NKIRAS2 probably prevents phosphorylation.
Cellular localization	Cytoplasm. Nucleus.

Images



P-Peptide - +

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IκBβ (phospho S23) antibody (ab75746)

ab75746, at a 1/50 dilution, staining IκBβ in paraffin embedded human breast carcinoma tissue by Immunohistochemistry, in the absence (left image) or presence (right image) of the immunizing phospho peptide.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors