

Product datasheet

Anti-MST4 antibody [EP1864Y] ab52491

RabMAb[®]

[7 References](#) [7 Images](#)

Overview

Product name	Anti-MST4 antibody [EP1864Y]
Description	Rabbit monoclonal [EP1864Y] to MST4
Host species	Rabbit
Tested applications	Suitable for: ICC/IF, WB, IP, ICC, Flow Cyt, IHC-P
Species reactivity	Reacts with: Mouse, Rat, Human
Immunogen	Synthetic peptide within Human MST4 aa 1-100 (N terminal). The exact sequence is proprietary.
Positive control	WB: HeLa cell lysate IHC-P: Human placenta tissue
General notes	Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
Storage buffer	pH: 7.20 Preservative: 0.05% Sodium azide Constituents: 0.1% BSA, 40% Glycerol, 9.85% Tris glycine, 50% Tissue culture supernatant
Purity	Tissue culture supernatant
Clonality	Monoclonal
Clone number	EP1864Y
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab52491** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		1/500.
WB		1/100000 - 1/200000. Detects a band of approximately 50 kDa (predicted molecular weight: 47 kDa).
IP		1/1000.
ICC		1/100 - 1/250.
Flow Cyt		1/1000 - 1/10000. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
IHC-P		Use at an assay dependent concentration.

Target

Function	Mediator of cell growth. Modulates apoptosis.
Sequence similarities	Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. STE20 subfamily. Contains 1 protein kinase domain.
Cellular localization	Cytoplasm. Golgi apparatus membrane. Localizes to the Golgi apparatus.

Images



Anti-MST4 antibody [EP1864Y] (ab52491) at 1/200000 dilution + HeLa cell lysate at 10 µg


Secondary

Goat anti-rabbit HRP at 1/2000 dilution

Predicted band size: 47 kDa


Observed band size: 50 kDa

[why is the actual band size different from the predicted?](#)



Immunocytochemistry/ Immunofluorescence - Anti-MST4 antibody [EP1864Y] (ab52491)

Immunocytochemistry/Immunofluorescence analysis of HeLa (Human epithelial cell line from cervix adenocarcinoma) labelling MST4 with purified ab52491 at 1/500. Cells were fixed with 100% methanol and permeabilized with 0.1% triton X-100. [ab150077](#) Goat anti rabbit IgG (Alexa Fluor® 488) at 1/1000 was used as the secondary antibody. Nuclei were counterstained with DAPI. PBS was used instead of the primary antibody as the negative control.



Immunoprecipitation - Anti-MST4 antibody [EP1864Y] (ab52491)

MST4 was immunoprecipitated using ab52491 at 1:100 dilution (2µg in 0.35mg lysates).

All lanes : Anti-MST4 antibody [EP1864Y] (ab52491) at 1/1000 dilution

Lane 1 : HeLa (Human cervix adenocarcinoma epithelial cell) whole cell lysate with 5% NFDm/TBST

Lane 2 : HeLa whole cell lysate immunoprecipitated with ab52491 1:100 dilution (2µg in 0.35mg lysates) with 5% NFDm/TBST


Lane 3 : HeLa whole cell lysate immunoprecipitated with Rabbit monoclonal IgG ([ab172730](#)) 1:100 dilution (2µg in 0.35mg lysates), with 5% NFDm/TBST

Lysates/proteins at 10 µg per lane.

Secondary


All lanes : VeriBlot for IP Detection Reagent (HRP) ([ab131366](#)) at 1/5000 dilution (VeriBlot for IP secondary antibody (HRP))

Exposure time: 10 seconds



Flow Cytometry - Anti-MST4 antibody [EP1864Y] (ab52491)

Overlay histogram showing HeLa cells stained with ab52491 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab52491, 1/10000 dilution) for 30 min at 22°C. The secondary antibody used was Alexa Fluor® 488 goat anti-rabbit IgG (H&L) (ab150077) at 1/2000 dilution for 30 min at 22°C. Isotype control antibody (black line) was rabbit IgG (monoclonal) (0.1µg/1x10⁶ cells) used under the same conditions. Unlabelled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter. This antibody gave a positive signal in HeLa cells fixed with 4% paraformaldehyde (10 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MST4 antibody [EP1864Y] (ab52491)

Immunohistochemical analysis of paraffin-embedded human placenta using ab52491 at a 1/100 dilution.



Western blot - Anti-MST4 antibody [EP1864Y] (ab52491)

Anti-MST4 antibody [EP1864Y] (ab52491) at 1/20000 dilution + Recombinant human MST4 protein (ab60341) at 0.01 µg

Secondary


Goat Anti-Rabbit IgG H&L (HRP) preadsorbed (ab97080) at 1/5000 dilution

Predicted band size: 47 kDa

Exposure time: 20 seconds

Ab52491 recognizes the full length tagged recombinant MST4 protein (ab60341) which has an expected molecular weight of 72

kDa.



Western blot - Anti-MST4 antibody [EP1864Y] (ab52491)

All lanes : Anti-MST4 antibody [EP1864Y] (ab52491) at 1/100000 dilution

Lane 1 : Mouse brain tissue lysate with 5% NFDN/TBST

Lane 2 : Rat brain tissue lysate with 5% NFDN/TBST

Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/20000 dilution (Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated)

Predicted band size: 47 kDa

Observed band size: 50 kDa [why is the actual band size different from the predicted?](#)

Exposure time: 30 seconds

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors