

Product datasheet

Anti-Natriuretic peptides A antibody [EPR20247]
ab209232

Recombinant RabMAb

3 References 7 Images

Overview

| | |
|----------------------------|---|
| Product name | Anti-Natriuretic peptides A antibody [EPR20247] |
| Description | Rabbit monoclonal [EPR20247] to Natriuretic peptides A |
| Host species | Rabbit |
| Tested applications | Suitable for: WB, IHC-P, IHC-Fr, IP |
| Species reactivity | Reacts with: Rat, Human |
| Immunogen | Recombinant full length protein. This information is proprietary to Abcam and/or its suppliers. |
| Positive control | WB: Human fetal heart and rat heart tissue lysates. IHC-P: Human heart, rat auricle and rat ventricle tissues. IHC-Fr: Rat heart tissue. IP: Rat heart lysate. |
| General notes | <p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p> |

Properties

| | |
|-----------------------------|---|
| Form | Liquid |
| Storage instructions | Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle. |
| Storage buffer | pH: 7.2 Preservative: 0.01% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA |
| Purity | Protein A purified |
| Clonality | Monoclonal |
| Clone number | EPR20247 |

Isotype

IgG

Applications

The Abpromise guarantee

Our [Abpromise guarantee](#) covers the use of ab209232 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|-------------|-----------|--|
| WB | | 1/1000. Predicted molecular weight: 16 kDa. |
| IHC-P | | 1/4000. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol. |
| IHC-Fr | | 1/100. Antigen retrieval: Heated citrate solution (10mM citrate pH 6.0 + 0.05% Tween-20). |
| IP | | 1/30. |

Target

Function

Hormone playing a key role in cardiovascular homeostasis through regulation of natriuresis, diuresis, and vasodilation. Also plays a role in female pregnancy by promoting trophoblast invasion and spiral artery remodeling in uterus. Specifically binds and stimulates the cGMP production of the NPR1 receptor. Binds the clearance receptor NPR3.

Involvement in disease

Atrial standstill 2
Atrial fibrillation, familial, 6

Sequence similarities

Belongs to the natriuretic peptide family.


Post-translational modifications

Cleaved by CORIN upon secretion to produce the functional hormone.
Atrial natriuretic factor: Cleaved by MME. The cleavage initiates degradation of the factor and thereby regulate its activity.

Cellular localization

Secreted.

Images



All lanes : Anti-Natriuretic peptides A antibody [EPR20247] (ab209232) at 1/1000 dilution

Lane 1 : Human fetal heart lysate

Lane 2 : Rat heart lysate

Lysates/proteins at 10 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/50000 dilution

Predicted band size: 16 kDa

Observed band size: 16 kDa

Blocking/Dilution buffer: 5% NFDm/TBST.

Exposure time: Lane 1: 2 seconds; Lane 2: 15 seconds.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Natriuretic peptides A antibody [EPR20247] (ab209232)


Immunohistochemical analysis of paraffin-embedded human heart tissue labeling Natriuretic peptides A with ab209232 at 1/4000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

Granularly cytoplasmic and perinuclear staining on human heart (PMID: 2942710, PMID: 1824903).

Counter stained with Hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.



Immunohistochemistry (Frozen sections) - Anti-Natriuretic peptides A antibody [EPR20247] (ab209232)


Immunohistochemical analysis of 4% paraformaldehyde-fixed, 0.2% Triton X-100 permeabilized frozen rat heart tissue labeling Natriuretic peptides A with ab209232 at 1/100 dilution, followed by Goat anti-rabbit IgG (Alexa Fluor® 488) (ab150077) secondary antibody at 1/1000 dilution (green).

Cytoplasmic staining on the auricula of rat heart (PMID: 2942710, PMID: 1824903).

The nuclear counterstain is DAPI (blue).

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat anti-rabbit IgG (Alexa Fluor® 488) (ab150077) at 1/1000 dilution.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Natriuretic peptides A antibody [EPR20247] (ab209232)


Immunohistochemical analysis of paraffin-embedded rat auricle tissue labeling Natriuretic peptides A with ab209232 at 1/8000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

Granularly cytoplasmic and perinuclear staining on rat auricle (PMID: 2942710, PMID: 1824903).

Counter stained with Hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Natriuretic peptides A antibody [EPR20247] (ab209232)


Immunohistochemical analysis of paraffin-embedded rat ventricle tissue labeling Natriuretic peptides A with ab209232 at 1/8000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

Weak staining on rat ventricle (PMID: 2942710, PMID: 1824903).

Counter stained with Hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) Ready to use.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.



Immunoprecipitation - Anti-Natriuretic peptides A antibody [EPR20247] (ab209232)

Natriuretic peptides A was immunoprecipitated from 0.35 mg of rat heart lysate with ab209232 at 1/30 dilution.

Western blot was performed from the immunoprecipitate using ab209232 at 1/500 dilution.

VeriBlot for IP Detection Reagent (HRP) (ab131366), was used for detection at 1/1000 dilution.

Lane 1: Rat heart lysate 10 µg (Input).





Lane 2: ab209232 IP in rat heart lysate.

Lane 3: Rabbit monoclonal IgG (ab172730) instead of ab209232 in rat heart lysate.

Blocking and dilution buffer and concentration: 5% NFDm/TBST.

Exposure time: 1 second.

Why choose a recombinant antibody?

| | |
|--|--|
|  <p>Research with confidence Consistent and reproducible results</p> |  <p>Long-term and scalable supply Recombinant technology</p> |
|  <p>Success from the first experiment Confirmed specificity</p> |  <p>Ethical standards compliant Animal-free production</p> |

Anti-Natriuretic peptides A antibody [EPR20247] (ab209232)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors