


Product datasheet

Anti-NBR1 antibody - C-terminal ab226360

2 Images

Overview

Product name	Anti-NBR1 antibody - C-terminal
Description	Rabbit polyclonal to NBR1 - C-terminal
Host species	Rabbit
Tested applications	Suitable for: IP, WB
Species reactivity	Reacts with: Human Predicted to work with: Orangutan 
Immunogen	Synthetic peptide within Human NBR1 aa 916-966 (C terminal). The exact sequence is proprietary. Database link: Q14596
Positive control	WB: HeLa, HEK-293T and Jurkat whole cell lysates. IP: HeLa whole cell lysate.
General notes	<p>Reproducibility is key to advancing scientific discovery and accelerating scientists' next breakthrough.</p> <p>Abcam is leading the way with our range of recombinant antibodies, knockout-validated antibodies and knockout cell lines, all of which support improved reproducibility.</p> <p>We are also planning to innovate the way in which we present recommended applications and species on our product datasheets, so that only applications & species that have been tested in our own labs, our suppliers or by selected trusted collaborators are covered by our Abpromise™ guarantee.</p> <p>In preparation for this, we have started to update the applications & species that this product is Abpromise guaranteed for.</p> <p>We are also updating the applications & species that this product has been “predicted to work with,” however this information is not covered by our Abpromise guarantee.</p> <p>Applications & species from publications and Abreviews that have not been tested in our own labs or in those of our suppliers are not covered by the Abpromise guarantee.</p> <p>Please check that this product meets your needs before purchasing. If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, as well as customer reviews and Q&As.</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	pH: 7 Preservative: 0.09% Sodium azide Constituent: Tris citrate/phosphate
Purity	pH 7 to 8 Immunogen affinity purified
Purification notes	ab226360 was affinity purified using an epitope specific to NBR1 immobilized on solid support.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab226360** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IP		Use at 2-10 µg/mg of lysate.
WB		1/2000 - 1/10000. Predicted molecular weight: 107 kDa.

Target

Function	Acts probably as a receptor for selective autophagosomal degradation of ubiquitinated targets.
Sequence similarities	Contains 1 OPR domain. Contains 1 UBA domain. Contains 1 ZZ-type zinc finger.
Domain	The OPR domain mediates interaction with SQSTM1.
Cellular localization	Cytoplasm. Cytoplasmic vesicle > autophagosome. Lysosome. Cytoplasm > myofibril > sarcomere > M line. In cardiac muscles localizes to the sarcomeric M line (By similarity). Is targeted to lysosomes for degradation.

Images



Western blot - Anti-NBR1 antibody - C-terminal (ab226360)

All lanes : Anti-NBR1 antibody - C-terminal (ab226360) at 0.1 $\mu\text{g/ml}$

Lane 1 : HeLa (human epithelial cell line from cervix adenocarcinoma) whole cell lysate

Lane 2 : HEK-293T (human epithelial cell line from embryonic kidney transformed with large T antigen) whole cell lysate

Lane 3 : Jurkat (human T cell leukemia cell line from peripheral blood) whole cell lysate


Lysates/proteins at 50 μg per lane.

Developed using the ECL technique.

Predicted band size: 107 kDa

Exposure time: 30 seconds

Cell lysates were prepared using NETN lysis buffer.



Immunoprecipitation - Anti-NBR1 antibody - C-terminal (ab226360)

NBR1 was immunoprecipitated from HeLa (human epithelial cell line from cervix adenocarcinoma) whole cell lysate (prepared using NETN lysis buffer; 20% of IP loaded) with ab226360 at 6 μg per reaction. Western blot was performed from the immunoprecipitate using ab226360 at 1 $\mu\text{g/ml}$.

Lane 1: ab226360 IP in HeLa whole cell lysate.

Lane 2: Control IgG IP in HeLa whole cell lysate.

Detection: Chemiluminescence with exposure time of 3 minutes.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors