# abcam

# Product datasheet

# Equine Cytokine Antibody Array (10 Targets) - Quantitative ab197413

### 3 Images

#### Overview

Product name Equine Cytokine Antibody Array (10 Targets) - Quantitative

Sample type Serum, Plasma, Other biological fluids, Cell Lysate, Cell culture media, Tissue Lysate

Assay type Quantitative
Assay time 6h 00m

Species reactivity Reacts with: Horse

**Product overview** ab197413 can be used for quantitative measurement of 10 Equine cytokines. Suitable for serum,

plasma, cell culture media, other body fluids, cell and tissue lysates.

Targets names: IFN $\gamma$ , IL-1 $\alpha$ , IL-1ra, IL-2, IL-4, IL-8, IL-10, IL-15, MCP-1 and VEGF.

Learn more about quantitative antibody arrays

Notes Quantitative antibody arrays can be used to quantitate up to 40 cytokines with as little as 50 μL of

sample. Arrays are available for 400 human and 200 mouse proteins.

Each glass slide is spotted with 16 identical antibody arrays and is provided with a 16 well gasket to allow separate samples to be applied to each array. Each antibody is spotted in quadruplicate in each array. For reproducible quantitation, eight of the arrays are used with a cocktail of protein standards to produce a standard curve. The same 8 standard curve arrays can be used across multiple slides, allowing measurement of 22 experimental samples with 2 slides, 36 with 3 slides

eic.

For high through-put, 4 slides can be nested into a tray matching a standard microplate, allowing automated processing with a liquid handling workstation.

Array processing can be completed within one working day (see workflow diagram below) and arrays can be analyzed with a wide number of laser glass slide array / gene microarray scanners. If you don't have a suitable scanner then we recommend our membrane antibody arrays, which can be analyzed with any WB chemiluminescent reader.

Learn more about quantitative antibody arrays

Learn more about membrane antibody arrays

#### **Properties**


Storage instructions

Store at -20°C. Please refer to protocols.

1

Components	22 tests	8 tests	50 tests
20X Wash Buffer I	3 x 30ml	2 x 30ml	6 x 30ml
20X Wash Buffer II	1 x 30ml	1 x 30ml	2 x 30ml
Cy3 equivalent dye-conjugated Streptavidin	2 x 5µl	1 x 5µl	4 x 5µl
Equine Cytokine Array (10 T) Biotinylated Antibody Cocktail	2 units	1 unit	4 units
Equine Cytokine Array (10 T) Glass Slide	2 slides	1 slide	4 slides
Equine Cytokine Array (10 T) Lyophilized Cytokine Standard Mix	2 vials	1 vial	4 vials
Sample Diluent	1 x 15ml	1 x 15ml	2 x 15ml
Slide Washer/Dryer (30 mL Centrifuge Tube)	1 unit	1 unit	2 units

# **Images**




Assay Summary for Equine Cytokine Antibody Array - Quantitative (10 targets) (ab197413).

POS1	POS2
IFNγ	IL-1α
IL-1ra	IL-2
IL-4	IL-8
IL-10	IL-15
MCP-1	VEGF

Equine Cytokine Antibody Array - Quantitative (10 targets) (ab197413)

Array Map for Equine Cytokine Antibody Array - Quantitative (10 targets) (ab197413).



Standard Curve obtained with Equine Cytokine Antibody Array - Quantitative (10 targets) (ab197413).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

targets) (ab197413)

•	Guarantee only valid for products bought direct from Abcam or one of our authorized distributors						