abcam

Product datasheet

CGP 57380, MNK inhibitor ab120365

2 References 2 Images

Overview

Product name CGP 57380, MNK inhibitor

Description MNK inhibitor

Biological descriptionLow-molecular-weight kinase inhibitor of MAP-kinase interacting kinase-1 (MNK1) and MNK2

(IC $_{50}$ values are 0.87 and 1.6 μ M, respectively). Inhibits a range of other kinases (IC $_{50}$ values in μ M shown in brackets) including: CKI (0.51) Aurora B (2.5) DYRK3 (3.2) SGK1(2.7) BRSK2 (1.1)

and Lck (2.5).

CAS Number 522629-08-9

Chemical structure

NH₂ HN

Properties

Chemical name N^3 -(4-Fluorophenyl)-1*H*-pyrazolo-[3,4-*d*]pyrimidine-3,4-diamine

PubChem identifier 11644425

Storage instructions Store at +4°C. The product can be stored for up to 12 months.

Solubility overview Soluble in DMSO to 100 mM

Handling Wherever possible, you should prepare and use solutions on the same day. However, if you need

to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one month. Before use, and

prior to opening the vial we recommend that you allow your product to equilibrate to room

temperature for at least 1 hour.

Refer to SDS for further information

Need more advice on solubility, usage and handling? Please visit our frequently asked

questions (FAQ) page for more details.

SMILES Fc1ccc(cc1)Nc3nnc2ncnc(N)c23

1

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab120365 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
Functional Studies		Use at an assay dependent concentration.

Images



Chemical Structure - CGP 57380, MNK inhibitor (ab120365)

2D chemical structure image of ab120365, CGP 57380, MNK inhibitor



Immunocytochemistry/ Immunofluorescence - CGP 57380, MNK inhibitor (ab120365)

ab76256 staining eIF4E (phospho S209) in serum starved HEK193 cells treated with CGP 57380 (ab120365), by ICC/IF. Decrease in eIF4E (phospho S209) expression correlates with increased concentration of CGP 57380, as described in literature.

The cells were incubated at 37°C for 1h in media containing different concentrations of ab120365 (CGP 57380) in DMSO, fixed with 100% methanol for 5 minutes at -20°C and blocked with PBS containing 10% goat serum, 0.3 M glycine, 1% BSA and 0.1% tween for 2h at room temperature. Staining of the treated cells with ab76256 (1/100 dilution) was performed overnight at 4°C in PBS containing 1% BSA and 0.1% tween. A DyLight 488 goat anti-rabbit polyclonal antibody (ab96899) at 1/250 dilution was used as the secondary antibody. Nuclei were counterstained with DAPI and are shown in blue.

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

- · Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team