


TMPyP4 tosylate, Telomerase inhibitor ab120793

[2 References](#) [2 Images](#)

Overview

Product name	TMPyP4 tosylate, Telomerase inhibitor
Description	Telomerase inhibitor. Binds and stabilizes DNA G-quadruplexes.
Purity	> 94%
CAS Number	36951-72-1
Chemical structure	



Properties

Chemical name	5,10,15,20-Tetrakis(1-methylpyridinium-4-yl)porphyrin tetra(<i>p</i> -toluenesulfonate)
Molecular weight	1363.60
Molecular formula	C ₇₂ H ₆₆ N ₈ O ₁₂ S ₄
Storage instructions	Store at -20°C. It is important to note that this product is reported to be light sensitive. Store In the Dark. Store under desiccating conditions.
Solubility overview	Soluble in water to 100 mM
Handling	<p>Wherever possible, you should prepare and use solutions on the same day. However, if you need to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one month. Before use, and prior to opening the vial we recommend that you allow your product to equilibrate to room temperature for at least 1 hour.</p> <p>Refer to SDS for further information.</p> <p>Need more advice on solubility, usage and handling? Please visit our frequently asked</p>

[questions \(FAQ\) page](#) for more details.

Source

Synthetic

Applications


The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab120793 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
Functional Studies		Use at an assay dependent concentration.

Images



Chemical Structure - TMPyP4 tosylate, Telomerase inhibitor (ab120793)

2D chemical structure image of ab120793, TMPyP4 tosylate, Telomerase inhibitor



Immunocytochemistry/ Immunofluorescence - TMPyP4 tosylate, Telomerase inhibitor (ab120793)

ab2893 staining ?H2A.X in weri cells treated with TMPyP4 tosylate (ab120793), by ICC/IF. Increase of ?H2A.X nuclear expression correlates with increased concentration of TMPyP4 tosylate, as described in literature.

The cells were incubated at 37°C for 24 hours in media containing different concentrations of ab120793 (TMPyP4 tosylate) in DMSO, fixed with 4% formaldehyde for 10 minutes at room temperature and blocked with PBS containing 10% goat serum, 0.3 M glycine, 1% BSA and 0.1% tween for 2h at room temperature. Staining of the treated cells with **ab2893** (1 µg/ml) was performed overnight at 4°C in PBS containing 1% BSA and 0.1% tween. A DyLight 488 anti-rabbit polyclonal antibody (**ab96899**) at 1/250 dilution was used as the secondary antibody. Nuclei were counterstained with DAPI and are shown in blue.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team