# abcam

# Product datasheet

# Cytokeratin 17 overexpression 293T lysate (whole cell) ab94233

# 2 Images

Overview

Product name Cytokeratin 17 overexpression 293T lysate (whole cell)

General notes ab94233 is a 293T cell transfected lysate in which Human Cytokeratin 17 has been transiently

over-expressed using a pCMV-Cytokeratin 17 plasmid. The lysate is provided in 1X Sample

Buffer.

Tested applications Suitable for: WB

**Properties** 

Mycoplasma free Yes

Form Liquid

**Storage instructions** Shipped on dry ice. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

**Storage buffer**Constituents: 0.01% Bromophenol blue, 2.3% Beta mercaptoethanol, 2% Sodium lauryl sulfate,

0.788% Tris HCI, 10% Glycerol (glycerin, glycerine)

**Background**Function: May play a role in the formation and maintenance of various skin appendages, specifically in determining shape and orientation of hair. May be a marker of basal cell

differentiation in complex epithelia and therefore indicative of a certain type of epithelial "stem cells". May act as an autoantigen in the immunopathogenesis of psoriasis, with certain peptide regions being a major target for autoreactive T-cells and hence causing their proliferation. Required for the correct growth of hair follicles, in particular for the persistence of the anagen (growth) state. Modulates the function of TNF-alpha in the specific context of hair cycling. Regulates protein synthesis and epithelial cell growth through binding to the adapter protein SFN and by stimulating Akt/mTOR pathway. Involved in tissue repair. Tissue specificity: Expressed in the outer root sheath and medulla region of hair follicle specifically from eyebrow and beard, digital pulp, nail matrix and nail bed epithelium, mucosal stratified squamous epithelia and in basal cells of oral epithelium, palmoplantar epidermis and sweat and mammary glands. Also expressed in myoepithelium of prostate, basal layer of urinary bladder, cambial cells of sebaceous gland and in exocervix (at protein level). Disease: Defects in KRT17 are a cause of

pachyonychia congenita type 2 (PC2) [MIM:167210]; also known as pachyonychia congenita Jackson-Lawler type. PC2 is an autosomal dominant ectodermal dysplasia characterized by hypertrophic nail dystrophy resulting in onchyogryposis (thickening and increase in curvature of the nail), palmoplantar keratoderma and hyperhidrosis, follicular hyperkeratosis, multiple epidermal

cysts, absent/sparse eyebrow and body hair, and by the presence of natal teeth. Defects in

1

KRT17 are a cause of steatocystoma multiplex (SM) [MIM:184500]. SM is a disease characterized by round or oval cystic tumors widely distributed on the back, anterior trunk, arms, scrotum, and thighs. Note=KRT16 and KRT17 are coexpressed only in pathological situations such as metaplasias and carcinomas of the uterine cervix and in psoriasis vulgaris. Similarity: Belongs to the intermediate filament family.

### **Applications**


#### The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab94233 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		Use at an assay dependent dilution.

#### **Images**



lysate (whole cell) (ab94233)

ab94233 at 15µg/lane on an SDS-PAGE gel.



Western blot - Cytokeratin 17 overexpression 293T lysate (whole cell) (ab94233)

All lanes: Anti-Cytokeratin 17 antibody (ab55393) at 1/500 dilution

**Lane 1 :** Cytokeratin 17 overexpression 293T lysate (whole cell) (ab94233)

Lane 2: 293T non-transfected lysate

Lysates/proteins at 25 µg per lane.

#### **Secondary**

**All lanes :** Goat Anti-mouse IgG (H and L) HRP conjugated at 1/2500 dilution

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors