abcam

Product datasheet

Human ACADVL (VLCAD) knockout HEK-293T cell lysate ab257332

2 Images

Overview

Product name Human ACADVL (VLCAD) knockout HEK-293T cell lysate

Product overview

Knockout cell lysate achieved by CRISPR/Cas9.

Parental Cell Line HEK293T

Organism Human

Mutation description Knockout achieved by using CRISPR/Cas9, Homozygous: Insertion of the selection cassette in

exon 1.

Passage number <20

Knockout validation Sanger Sequencing, Western Blot (WB)

Reconstitution notesTo use as WB control, resuspend the lyophilizate in 50 μL of LDS* Sample Buffer to have a final

concentration of 2 mg/ml. For reducing conditions, we recommend a final concentration of 0.1 M

DTT.

*Usage of SDS sample buffer is not recommended with these lyophilized lysates.

Notes

Lysate preparation: Our lysates are made using RIPA buffer to which we add a protease

inhibitor cocktail and phosphatase inhibitor cocktail (ratio: 300:100:10). *This means that the protein of interest is denatured.* If you require a native form of the protein please use the live cell version - found <u>here</u>. Please refer to our lysis protocol for further details on how our lysates are

prepared.

User storage instructions: Lyophilizate may be stored at 4°C. After reconstitution, store at -

 20°C for short-term storage or -80°C for long-term storage.

Access thousands of knockout cell lysates, generated from commonly used cancer cell lines.

See here for more information on knockout cell lysates.

Abcam has not and does not intend to apply for the REACH Authorisation of customers' uses of

products that contain European Authorisation list (Annex XIV) substances.

It is the responsibility of our customers to check the necessity of application of REACH Authorisation, and any other relevant authorisations, for their intended uses.

This product is subject to limited use licenses from The Broad Institute, ERS Genomics Limited and Sigma-Aldrich Co. LLC, and is developed with patented technology. For full details of the

licenses and patents please refer to our limited use license and patent pages.

1

Properties

Storage instructions

Store at -80°C. Please refer to protocols.

| Components | 1 kit |
|--|-----------|
| ab260200 - Human ACADVL knockout HEK293T cell lysate | 1 x 100µg |
| ab255553 - Human wild-type HEK293T cell lysate | 1 x 100µg |

Cell type epithelial

STR Analysis Amelogenin X D5S818: 8, 9 D13S317: 12, 14 D7S820: 11 D16S539: 9, 13 vWA: 16, 19 TH01:

7, 9.3 TPOX: 11 CSF1PO: 11, 12

Target

Function Active toward esters of long-chain and very long chain fatty acids such as palmitoyl-CoA,

mysritoyl-CoA and stearoyl-CoA. Can accomodate substrate acyl chain lengths as long as 24

carbons, but shows little activity for substrates of less than 12 carbons.

Pathway Lipid metabolism; mitochondrial fatty acid beta-oxidation.

Involvement in disease Defects in ACADVL are the cause of acyl-CoA dehydrogenase very long chain deficiency

(ACADVLD) [MIM:201475]. ACADVLD is an autosomal recessive disease which leads to impaired long-chain fatty acid beta-oxidation. It is clinically heterogeneous, with three major phenotypes: a severe childhood form, with early onset, high mortality, and high incidence of cardiomyopathy; a milder childhood form, with later onset, usually with hypoketotic hypoglycemia as the main presenting feature, low mortality, and rare cardiomyopathy; and an adult form, with isolated skeletal muscle involvement, rhabdomyolysis, and myoglobinuria, usually triggered by

exercise or fasting.

Sequence similaritiesBelongs to the acyl-CoA dehydrogenase family.

Cellular localization Mitochondrion inner membrane.

Applications


The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab257332 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|-------------|-----------|--|
| WB | | Use at an assay dependent concentration. Predicted molecular weight: 70 kDa. |

Images




Lane 1: Wild-type HEK293T cell lysate (20 ug)

Lane 2: ACADVL knockout HEK293T cell lysate (20 ug)

Lane 3: A431 cell lysate (20 ug)

Lane 4: HepG2 cell lysate (20 ug)

<u>ab188872</u> was shown to specifically react with ACADVL/VLCAD in wild-type HEK293T cells. Loss of signal was observed when knockout cell line <u>ab266484</u> (knockout cell lysate ab257332) was used. Wild-type and ACADVL/VLCAD knockout samples were subjected to SDS-PAGE. <u>ab188872</u> and Anti-GAPDH antibody [6C5] - Loading Control (<u>ab8245</u>) were incubated overnight at 4°C at 1 in 1000 dilution and 1 in 20000 dilution respectively. Blots were developed with Goat anti-Rabbit lgG H&L (IRDye® 800CW) preadsorbed (<u>ab216773</u>) and Goat anti-Mouse lgG H&L (IRDye® 680RD) preadsorbed (<u>ab216776</u>) secondary antibodies at 1 in 20000 dilution for 1 hour at room temperature before imaging.



Homozygous: Insertion of the selection cassette in exon 1

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors