

## Product datasheet

# Human HINT1 knockout HeLa cell lysate ab257465

2 Images

### Overview

|                             |   |
|-----------------------------|---|
| <b>Product name</b>         | Human HINT1 knockout HeLa cell lysate   |
| <b>Product overview</b>     | Knockout cell lysate achieved by CRISPR/Cas9.   |
| <b>Parental Cell Line</b>   | HeLa  |
| <b>Organism</b>             | Human   |
| <b>Mutation description</b> | Knockout achieved by using CRISPR/Cas9, Homozygous: 1 bp deletion in exon 1.  |
| <b>Passage number</b>       | <20   |
| <b>Knockout validation</b>  | Sanger Sequencing, Western Blot (WB)  |
| <b>Reconstitution notes</b> | To use as WB control, resuspend the lyophilizate in 50 µL of LDS* Sample Buffer to have a final concentration of 2 mg/ml. For reducing conditions, we recommend a final concentration of 0.1 M DTT. |

*\*Usage of SDS sample buffer is not recommended with these lyophilized lysates.*

### Notes

**Lysate preparation:** Our lysates are made using RIPA buffer to which we add a protease inhibitor cocktail and phosphatase inhibitor cocktail (ratio: 300:100:10). *This means that the protein of interest is denatured.* If you require a native form of the protein please use the live cell version - found [here](#). Please refer to our lysis protocol for further details on how our lysates are prepared.

**User storage instructions:** Lyophilizate may be stored at 4°C. After reconstitution, store at -20°C for short-term storage or -80°C for long-term storage.

Access thousands of knockout cell lysates, generated from commonly used cancer cell lines.

**[See here for more information on knockout cell lysates.](#)**

Abcam has not and does not intend to apply for the REACH Authorisation of customers' uses of products that contain European Authorisation list (Annex XIV) substances.

It is the responsibility of our customers to check the necessity of application of REACH Authorisation, and any other relevant authorisations, for their intended uses.

This product is subject to limited use licenses from The Broad Institute and ERS Genomics Limited, and is developed with patented technology. For full details of the limited use licenses and relevant patents please refer to our [limited use license](#) and [patent pages](#).

### Tested applications

**Suitable for:** WB

## Properties

**Storage instructions** Store at -80°C. Please refer to protocols.

| Components                                       | 1 kit     |
|--|-----------|
| ab260246 - Human HINT1 knockout HeLa cell lysate | 1 x 100µg |
| ab255929 - Human wild-type HeLa cell lysate      | 1 x 100µg |

**Cell type** epithelial  
**Disease** Adenocarcinoma  
**Gender** Female  
**STR Analysis** Amelogenin X D5S818: 11, 12 D13S317: 12, 13.3 D7S820: 8, 12 D16S539: 9, 10 vWA: 16, 18 TH01: 7 TPOX: 8, 12 CSF1PO: 9, 10

## Target


**Function** Hydrolyzes adenosine 5'-monophosphoramidate substrates such as AMP-morpholidate, AMP-N-alanine methyl ester, AMP-alpha-acetyl lysine methyl ester and AMP-NH<sub>2</sub>.  
**Tissue specificity** Widely expressed.  
**Sequence similarities** Belongs to the HINT family.  
Contains 1 HIT domain.  
**Domain** The histidine triad, also called HIT motif, forms part of the binding loop for the alpha-phosphate of purine mononucleotide.  
**Cellular localization** Cytoplasm. Nucleus. Interaction with CDK7 leads to a more nuclear localization.

## Applications

**The Abpromise guarantee** Our **Abpromise guarantee** covers the use of ab257465 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes  |
|-------------|-----------|--|
| WB          |           | Use at an assay dependent concentration. Predicted molecular weight: 14 kDa. |

## Images



Western blot - Human HINT1 knockout HeLa cell lysate (ab257465)

**Lane 1:** Wild-type HeLa cell lysate (20 ug)

**Lane 2:** HINT1 knockout HeLa cell lysate (20 ug)

**Lane 3:** Jurkat cell lysate (20 ug)

**ab124912** was shown to specifically react with HINT1 in wild-type HeLa cells. Loss of signal was observed when knockout cell line **ab265776** (knockout cell lysate ab257465) was used. Wild-type and HINT1 knockout samples were subjected to SDS-PAGE.

**ab124912** and Anti-GAPDH antibody [6C5] - Loading Control (**ab8245**) were incubated at room temperature for 2.5 hours at 1 in 500 dilution and 1 in 20000 dilution respectively. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed (**ab216773**) and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed (**ab216776**) secondary antibodies at 1 in 20000 dilution for 1 hour at room temperature before imaging.

|     |  |
|-----|--|
| Mut | GGAGAGAGGCCGAGATGGCAGATGAGATT-CCAAGGCTCAGGTCGCTCGGCCTGGTGGCG |
| WT  | GGAGAGAGGCCGAGATGGCAGATGAGATTGCCAAGGCTCAGGTCGCTCGGCCTGGTGGCG |

Sanger Sequencing - Human HINT1 knockout HeLa cell lysate (ab257465)

Homozygous: 1 bp deletion in exon 1

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors