

Product datasheet

ORC6L overexpression 293T lysate (whole cell) ab94162

2 Images

Overview

Product name	ORC6L overexpression 293T lysate (whole cell)
General notes	ab94162 is a 293T cell transfected lysate in which Human ORC6L has been transiently over-expressed using a pCMV-ORC6L plasmid. The lysate is provided in 1X Sample Buffer.
Tested applications	Suitable for: WB

Properties


Mycoplasma free	Yes
Form	Liquid
Storage instructions	Shipped on dry ice. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Constituents: 0.01% Bromophenol blue, 2.3% Beta mercaptoethanol, 2% Sodium lauryl sulfate, 0.788% Tris HCl, 10% Glycerol (glycerin, glycerine)
Background	<p>Function: Component of the origin recognition complex (ORC) that binds origins of replication. DNA-binding is ATP-dependent, however specific DNA sequences that define origins of replication have not been identified so far. ORC is required to assemble the pre-replication complex necessary to initiate DNA replication. Disease: Defects in ORC6 are the cause of Meier-Gorlin syndrome type 3 (MGORS3) [MIM:613803]. MGORS3 is a syndrome characterized by bilateral microtia, aplasia/hypoplasia of the patellae, and severe intrauterine and postnatal growth retardation with short stature and poor weight gain. Additional clinical findings include anomalies of cranial sutures, microcephaly, apparently low-set and simple ears, microstomia, full lips, highly arched or cleft palate, micrognathia, genitourinary tract anomalies, and various skeletal anomalies. While almost all cases have primordial dwarfism with substantial prenatal and postnatal growth retardation, not all cases have microcephaly, and microtia and absent/hypoplastic patella are absent in some. Despite the presence of microcephaly, intellect is usually normal. Similarity: Belongs to the ORC6 family. PTM: Phosphorylated upon DNA damage, probably by ATM or ATR.</p>

Applications


The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab94162 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use at an assay dependent dilution.

Images



ab94162 at 15 µg/lane on an SDS-PAGE gel



All lanes : Anti-ORC6L antibody ([ab88686](#)) at 1/500 dilution

Lane 1 : ORC6L overexpression 293T lysate (whole cell) (ab94162)

Lane 2 : 293T non-transfected Lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes : Goat Anti-mouse IgG (H and L) HRP conjugated at 1/2500 dilution

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors