# abcam

#### Product datasheet

## Alexa Fluor® 488 Anti-Estrogen Receptor alpha antibody [E115] ab194150



★★★★★ 1 Abreviews 2 Images

#### Overview

**Immunogen** 

**Product name** Alexa Fluor® 488 Anti-Estrogen Receptor alpha antibody [E115]

**Description** Alexa Fluor® 488 Rabbit monoclonal [E115] to Estrogen Receptor alpha

**Host species** Rabbit

Conjugation Alexa Fluor® 488. Ex: 495nm, Em: 519nm

Specificity Expression levels of ER alpha protein vary with sample type.

**Tested applications** Suitable for: Flow Cyt (Intra)

**Species reactivity** Reacts with: Human

Predicted to work with: Mouse, Rat, Dog

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control Flow Cyt (intra): T47D cells.

**General notes** Our RabMAb® technology is a patented hybridoma-based technology for making rabbit

monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor<sup>®</sup> is a registered trademark of Molecular Probes, Inc., a Thermo Fisher Scientific Company. The Alexa Fluor<sup>®</sup> dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

#### **Properties**

1

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

Purity Protein A purified

**Clonality** Monoclonal

Clone number E115
Isotype IgG

#### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab194150 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt (Intra)		1/50.

### **Target**

Function Nuclear hormone receptor. The steroid hormones and their receptors are involved in the

regulation of eukaryotic gene expression and affect cellular proliferation and differentiation in

target tissues. Can activate the transcriptional activity of TFF1.

**Sequence similarities** Belongs to the nuclear hormone receptor family. NR3 subfamily.

Contains 1 nuclear receptor DNA-binding domain.

**Domain**Composed of three domains: a modulating N-terminal domain, a DNA-binding domain and a C-

terminal ligand-binding domain.

Post-translational Phosphorylated by cyclin A/CDK2. Phosphorylation probably enhances transcriptional activity.

modifications Glycosylated; contains N-acetylglucosamine, probably O-linked.

Ubiquitinated. Deubiquitinated by OTUB1.


Dimethylated by PRMT1 at Arg-260. The methylation may favor cytoplasmic localization.

Palmitoylated (isoform 3). Not biotinylated (isoform 3).

Cellular localization Nucleus. Cytoplasm. Cell membrane. A minor fraction is associated with the inner membrane and

Nucleus. Cytoplasm. Cell membrane. Associated with the inner membrane via palmitoylation.

#### **Images**




Flow Cytometry (Intracellular) - Alexa Fluor® 488 Anti-Estrogen Receptor alpha antibody [E115] (ab194150)

Overlay histogram showing T47D cells stained with ab194150 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab194150, 1/50 dilution) for 30 min at 22°C. Isotype control antibody (black line) was rabbit IgG (monoclonal) Alexa Fluor<sup>®</sup> 488 (ab199091) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter.

This antibody gave a positive signal in T47D cells fixed with 80% methanol (5 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors