# abcam

### Product datasheet

## Alexa Fluor® 488 Anti-Hesl antibody [EPR4226] ab196328

Recombinant RabMAb

#### 2 References 2 Images

#### Overview

**Product name** Alexa Fluor® 488 Anti-Hes1 antibody [EPR4226]

**Description** Alexa Fluor® 488 Rabbit monoclonal [EPR4226] to Hes1

**Host species** Rabbit

Alexa Fluor® 488. Ex: 495nm, Em: 519nm Conjugation

**Tested applications** Suitable for: ICC/IF Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers. **Immunogen** 

Positive control ICC/IF: SKNSH cells Flow Cyt: SHSY5Y cells.

**General notes** This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor<sup>®</sup> is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor<sup>®</sup> dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

1

#### outlicensing@thermofisher.com.

#### **Properties**

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

Clonality Monoclonal
Clone number EPR4226

**Isotype** IgG

#### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab196328 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes  |
|-------------|-----------|--------|
| ICC/IF      |           | 1/100. |

### Target

Function Transcriptional repressor of genes that require a bHLH protein for their transcription. May act as a

negative regulator of myogenesis by inhibiting the functions of MYOD1 and ASH1. Binds DNA on N-box motifs: 5'-CACNAG-3' with high affinity and on E-box motifs: 5'-CANNTG-3' with low affinity.

Sequence similarities Contains 1 basic helix-loop-helix (bHLH) domain.

Contains 1 Orange domain.

**Domain** Has a particular type of basic domain (presence of a helix-interrupting proline) that binds to the N-

box (CACNAG), rather than the canonical E-box (CANNTG).

The C-terminal WRPW motif is a transcriptional repression domain necessary for the interaction with Groucho/TLE family members, transcriptional corepressors recruited to specific target DNA


by Hairy-related proteins.

The bHLH, as well as cooperation between the central Orange domain and the C-terminal WRPW

motif, is required for transcriptional repressor activity.

Cellular localization Nucleus.


#### **Images**



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Hes1 antibody [EPR4226] (ab196328)

ab196328 staining Hes1 in SKNSH cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab196328 at 1/100 dilution (shown in green) and <u>ab195889</u>, Mouse monoclonal to alpha Tubulin (Alexa Fluor<sup>®</sup> 594), at 2  $\mu$ g/ml (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit  $\underline{\text{https://www.abcam.com/abpromise}} \text{ or contact our technical team.}$ 

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors