# abcam

# Product datasheet

# Alexa Fluor® 488 Anti-Hsp90 beta antibody [EPR16621] ab202822

Recombinant RabMAb

# 3 Images

#### Overview

**Product name** Alexa Fluor® 488 Anti-Hsp90 beta antibody [EPR16621]

**Description** Alexa Fluor® 488 Rabbit monoclonal [EPR16621] to Hsp90 beta

**Host species** Rabbit

Conjugation Alexa Fluor® 488, Ex: 495nm, Em: 519nm

**Tested applications** Suitable for: ICC/IF, Flow Cyt (Intra)

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Recombinant fragment corresponding to Human Hsp90 beta aa 500 to the C-terminus. **Immunogen** 

Database link: P08238

Run BLAST with Run BLAST with

Positive control ICC/IF: HeLa cells. Flow Cyt (intra): HeLa cells.

This product is a recombinant monoclonal antibody, which offers several advantages including: **General notes** 

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor<sup>®</sup> is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor<sup>®</sup> dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research.

For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or **outlicensing@thermofisher.com**.

#### **Properties**

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Store In the Dark. Store under desiccating conditions.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 1% BSA, 30% Glycerol (glycerin, glycerine), PBS

Purity Protein A purified

ClonalityMonoclonalClone numberEPR16621

**Isotype** IgG

#### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab202822 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application      | Abreviews | Notes   |
|------------------|-----------|---|
| ICC/IF           |           | 1/200. This product gave a positive signal in HeLa cells fixed with 4% formaldehyde (10 min) and 100% methanol (5 min). |
| Flow Cyt (Intra) |           | 1/500.  |

### **Target**

**Function** Molecular chaperone that promotes the maturation, structural maintenance and proper regulation

of specific target proteins involved for instance in cell cycle control and signal transduction. Undergoes a functional cycle that is linked to its ATPase activity. This cycle probably induces conformational changes in the client proteins, thereby causing their activation. Interacts dynamically with various co-chaperones that modulate its substrate recognition, ATPase cycle

and chaperone function.

**Sequence similarities** Belongs to the heat shock protein 90 family.

**Domain** The TPR repeat-binding motif mediates interaction with TPR repeat-containing proteins.

Post-translational Ubiquitinated in the presence of STUB1-UBE2D1 complex (in vitro).


modifications ISGylated.

S-nitrosylated; negatively regulates the ATPase activity.

Cytoplasm. Melanosome. Identified by mass spectrometry in melanosome fractions from stage I

to stage IV.

#### **Images**




Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Hsp90 beta antibody [EPR16621] (ab202822)

ab202822 staining Hsp90 beta in HeLa cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab202822 at 1/200 dilution (shown in green) and <a href="mailto:ab195889">ab195889</a>, Mouse monoclonal to alpha Tubulin (Alexa Fluor<sup>®</sup> 594), at 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).


Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in HeLa cells fixed with 4% formaldehyde (10 min).



Flow Cytometry (Intracellular) - Alexa Fluor® 488 Anti-Hsp90 beta antibody [EPR16621] (ab202822)

Overlay histogram showing HeLa cells stained with ab202822 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab202822, 1/500 dilution) for 30 min at 22°C. Isotype control antibody (black line) was rabbit monoclonal IgG [EPR25A] Alexa Fluor® 488 (ab199091) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter. This antibody gave a positive signal in HeLa cells fixed with 4% formaldehyde (10 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors