abcam

Product datasheet

Alexa Fluor® 488 Anti-LAG-3 antibody [EPR20261] ab225485



2 Images

Overview

Product name Alexa Fluor® 488 Anti-LAG-3 antibody [EPR20261]

Description Alexa Fluor® 488 Rabbit monoclonal [EPR20261] to LAG-3

Host species Rabbit

Conjugation Alexa Fluor® 488, Ex: 495nm, Em: 519nm

Tested applications Suitable for: Flow Cyt Species reactivity Reacts with: Human

Immunogen Recombinant fragment within Human LAG-3 aa 1-300. The exact immunogen sequence used to

> generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please contact our Scientific Support

team to discuss your requirements.

Database link: P18627

Run BLAST with Run BLAST with

Positive control

General notes

Flow Cyt: PHA activated human PBMCs.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to

provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

Clonality Monoclonal
Clone number EPR20261

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab225485 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt		1/100.

Target

Function Involved in lymphocyte activation. Binds to HLA class-II antigens.


Tissue specificity On cell surface of activated NK and T-lymphocytes.

Sequence similarities Contains 3 lg-like C2-type (immunoglobulin-like) domains.

Contains 1 lg-like V-type (immunoglobulin-like) domain.

Cellular localization Membrane.

Images



Flow Cytometry - Alexa Fluor® 488 Anti-LAG-3 antibody [EPR20261] (ab225485)

Overlay histogram showing non-activated (left) and PHA- activated human peripheral blood mononuclear cells (PBMCs) (right) stained with ab225485 (red line). PBMCS were incubated for 30min on ice in 1x PBS containing 10 μ g/ml human lgG and 10% normal goat serum to block FC receptors and non-specific protein-protein interaction followed by the antibody (1x 10⁶ in 100 μ l at μ g/ml (1/500)) for 30 min on ice. Isotype control antibody (black line) was rabbit lgG (monoclonal) Alexa Fluor[®] 488 used at the same concentration and conditions as the primary antibody. Unlabeled sample (blue line) was also used as a control.

Acquisition of >30,000 events were collected using a 50 mW Blue laser (488nm) and 530/30 bandpass filter. Events were gated on viable single cells.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors