abcam

Product datasheet

Alexa Fluor® 555 Anti-beta Tubulin antibody [EPR16774] ab206627

Recombinant RabMAb

Overview

Product name Alexa Fluor® 555 Anti-beta Tubulin antibody [EPR16774]

Description Alexa Fluor® 555 Rabbit monoclonal [EPR16774] to beta Tubulin

Host species Rabbit

Conjugation Alexa Fluor® 555. Ex: 555nm, Em: 565nm

Tested applications
Suitable for: ICC/IF
Species reactivity
Reacts with: Human

Predicted to work with: Mouse, Rat, Chicken, Dog, Drosophila melanogaster, Monkey,

Zebrafish, Xenopus tropicalis

A

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control ICC/IF: HeLa cells

General notesThis product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor[®] dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact

1

Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 1% BSA, 30% Glycerol (glycerin, glycerine), PBS

Purity Protein A purified

Clonality Monoclonal
Clone number EPR16774

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab206627 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF	★★★★ (1)	1/500. This product gave a positive signal in HeLa cells fixed with 4% formaldehyde (10 min).

Target

Function Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an

exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain.

Tissue specificity Ubiquitously expressed with highest levels in spleen, thymus and immature brain.

Involvement in diseaseCortical dysplasia, complex, with other brain malformations 6

Skin creases, congenital symmetric circumferential, 1

Sequence similarities Belongs to the tubulin family.

Domain The highly acidic C-terminal region may bind cations such as calcium.

Post-translational Some glutamate residues at the C-terminus are polyglutamylated, resulting in polyglutamate

modifications chains on the gamma-carboxyl group (PubMed:26875866). Polyglutamylation plays a key role in

microtubule severing by spastin (SPAST). SPAST preferentially recognizes and acts on microtubules decorated with short polyglutamate tails: severing activity by SPAST increases as

the number of glutamates per tubulin rises from one to eight, but decreases beyond this

glutamylation threshold (PubMed:26875866).

Some glutamate residues at the C-terminus are monoglycylated but not polyglycylated due to the absence of functional TTLL10 in human. Monoglycylation is mainly limited to tubulin incorporated


into axonemes (cilia and flagella). Both polyglutamylation and monoglycylation can coexist on the same protein on adjacent residues, and lowering glycylation levels increases polyglutamylation, and reciprocally. The precise function of monoglycylation is still unclear.

Phosphorylated on Ser-172 by CDK1 during the cell cycle, from metaphase to telophase, but not in interphase. This phosphorylation inhibits tubulin incorporation into microtubules.

Cytoplasm, cytoskeleton.


Cellular localization

Images



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 555 Anti-beta Tubulin antibody [EPR16774] (ab206627) ab206627 staining beta Tubulin in HeLa cells. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab206627 at 1/500 dilution (shown in yellow). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors