abcam

Product datasheet

Alexa Fluor® 555 Anti-Mucin 5AC antibody [EPR16904] ab218714

Recombinant RabMAb

**** 2 Abreviews 5 References 2 Images

Overview

Product name Alexa Fluor® 555 Anti-Mucin 5AC antibody [EPR16904]

Description Alexa Fluor® 555 Rabbit monoclonal [EPR16904] to Mucin 5AC

Host species Rabbit

Conjugation Alexa Fluor® 555. Ex: 555nm, Em: 565nm

Tested applications
Suitable for: ICC/IF
Species reactivity
Reacts with: Human

Immunogen Recombinant fragment within Human Mucin 5AC aa 2300-2500. The exact immunogen sequence

used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please **contact** our Scientific

Support team to discuss your requirements.

Database link: P98088

Run BLAST with
Run BLAST with

Positive control ICC/IF: HeLa cells

General notesThis product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor[®] dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to

1

provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

Purity Protein A purified

Clonality Monoclonal
Clone number EPR16904

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab218714 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF	★★★★★ (1)	1/50. This product gave a positive signal in HeLa cells fixed with 100% methanol (5 min)

Ţ	a	rg	jet

Function Gel-forming glycoprotein of gastric and respiratoy tract epithelia that protects the mucosa from

infection and chemical damage by binding to inhaled microrganisms and particles that are

subsequently removed by the mucocilary system.

Tissue specificity Highly expressed in surface mucosal cells of respiratory tract and stomach epithelia.

Overexpressed in a number of carcinomas. Also expressed in Barrett's esophagus epithelium

and in the proximal duodenum.

Sequence similarities Contains 1 CTCK (C-terminal cystine knot-like) domain.

Contains 3 TIL (trypsin inhibitory-like) domains.

Contains 4 VWFC domains.
Contains 4 VWFD domains.

Domain The cysteine residues in the Cys-rich subdomain repeats are not involved in disulfide bonding.

Post-translational modifications

C-, O- and N-glycosylated. O-glycosylated on the Thr-/Ser-rich tandem repeats. C-mannosylation in the Cys-rich subdomains may be required for proper folding of these regions and for export

in the Cys-rich subdomains may be required for proper folding of these regions and for export


from the endoplasmic reticulum during biosynthesis.

Proteolytic cleavage in the C-terminal is initiated early in the secretory pathway and does not involve a serine protease. The extent of cleavage is increased in the acidic parts of the secretory pathway. Cleavage generates a reactive group which could link the protein to a primary amide.

Cellular localization

Secreted.


Images



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 555 Anti-Mucin 5AC antibody [EPR16904] (ab218714)

ab218714 staining Mucin 5AC in HeLa cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab218714 at 1/50 dilution (pseudocolored in green) and ab195884, Rat monoclonal to Tubulin (Alexa Fluor[®] 647), at 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



 $\textbf{Please note:} \ \ \textbf{All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"}$

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors