abcam

Product datasheet

Alexa Fluor® 555 Anti-NEDD8 antibody [Y297] ab207249

Recombinant

RabMAb

2 Images

Overview

Product name Alexa Fluor® 555 Anti-NEDD8 antibody [Y297]

Description Alexa Fluor® 555 Rabbit monoclonal [Y297] to NEDD8

Host species Rabbit

Conjugation Alexa Fluor® 555. Ex: 555nm, Em: 565nm

Tested applications Suitable for: ICC/IF Reacts with: Human Species reactivity

Predicted to work with: Rat 4

Immunogen Synthetic peptide corresponding to Human NEDD8 (N terminal).

Database link: Q15843

Positive control ICC/IF: A673 cells

General notes Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit

monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc., a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact

Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

Properties

Liquid **Form**

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

Clonality Monoclonal

Clone number Y297

Isotype IgG

Applications


The Abpromise guarantee Our Abpromise guarantee covers the use of ab207249 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		1/100. This product gave a positive signal in A673 cells fixed with 4% formaldehyde (10 min) and 100% methanol (5 min)

Target		
Function	Ubiquitin-like protein which plays an important role in cell cycle control and embryogenesis. Covalent attachment to its substrates requires prior activation by the E1 complex UBE1C-APPBP1 and linkage to the E2 enzyme UBE2M. Attachment of NEDD8 to cullins activates their associated E3 ubiquitin ligase activity, and thus promotes polyubiquitination and proteasomal degradation of cyclins and other regulatory proteins.	
Tissue specificity	Highly expressed in heart, skeletal muscle, spleen, thymus, prostate, testis, ovary, colon and leukocytes.	
Sequence similarities	Belongs to the ubiquitin family.	
Post-translational modifications	Cleavage of precursor form by UCHL3 or SENP8 is necessary for function.	
Cellular localization	Nucleus. Mainly nuclear.	

Images




Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 555 Anti-NEDD8 antibody [Y297] (ab207249)

ab207249 staining NEDD8 in A673 cells. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab207249 at a 1/100 dilution (pseudocolored in green) and ab195884, Rat monoclonal to alpha Tubulin (Alexa Fluor[®] 647), at a 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in A673 cells fixed with 100% methanol (5 min)



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors