abcam

Product datasheet

Alexa Fluor® 647 Anti-CCR2 antibody [EPR20844] ab245897



3 Images

Overview

Product name Alexa Fluor® 647 Anti-CCR2 antibody [EPR20844]

Description Alexa Fluor® 647 Rabbit monoclonal [EPR20844] to CCR2

Host species Rabbit

Conjugation Alexa Fluor® 647. Ex: 652nm. Em: 668nm

Tested applications Suitable for: ICC/IF, Flow Cyt

Species reactivity Reacts with: Mouse

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control ICC/IF: Mouse CCR2 with GFP tag transfected HEK-293T cells. Flow Cyt: Splenocytes (Mouse)

cells.

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc. a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

ClonalityMonoclonalClone numberEPR20844

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab245897 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		1/200. This product gave a positive signal in GFP transfected HEK-293T fixed with 4% formaldehyde (10 min).
Flow Cyt		1/500.

Ta	rg	et
----	----	----

Function Receptor for the MCP-1, MCP-3 and MCP-4 chemokines. Transduces a signal by increasing the

intracellular calcium ions level. Alternative coreceptor with CD4 for HIV-1 infection.

Sequence similarities Belongs to the G-protein coupled receptor 1 family.


Post-translational

modifications

N-glycosylated.

Cellular localization Cell membrane.

Images




Flow Cytometry - Alexa Fluor® 647 Anti-CCR2 antibody [EPR20844] (ab245897)

C57BL/6 mouse splenocytes stained with ab245897 (right) or Rabbit IgG (monoclonal) Alexa Fluor 647 (ab199093) (left). C57BL/6 Mouse splenocytes were incubated for 30 min on ice in 1x PBS containing 10 μ g/ml anti CD16/32 antibody and 10% normal goat serum to block FC receptors and non-specific protein-protein interactions followed by the antibody (ab245897) or Rabbit IgG (monoclonal) Alexa Fluor 647 (ab199093) (1x 106 in 100 μ l at 1 μ g/ml (1/500)) for 30 min on ice. The cells were simultaneously stained with Ly6G/GR1 PerCP conjugated antibody (ab236728).

Acquisition of >30,000 events were collected using a 40 mW Red laser (640 nm) and 670/14 bandpass filter.


Events were gated on viable lymphocytes.



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-CCR2 antibody [EPR20844] (ab245897)

ab245897 staining CCR2 in HEK-293T cells transfected with mouse CCR2 with GFP tag. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab245897 at 1/200 dilution (shown in red). Nuclear DNA was labeled with DAPI (shown in blue) and GFP is shown in green.

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors