abcam

Product datasheet

Alexa Fluor® 647 Anti-delta 1 Catenin/CAS antibody [YE372] ab203148

Recombinant RabMAb

3 Images

Overview

Product name Alexa Fluor® 647 Anti-delta 1 Catenin/CAS antibody [YE372]

Description Alexa Fluor® 647 Rabbit monoclonal [YE372] to delta 1 Catenin/CAS

Host species Rabbit

Conjugation Alexa Fluor® 647. Ex: 652nm. Em: 668nm

Tested applications Suitable for: ICC/IF, Flow Cyt (Intra)

Species reactivity Reacts with: Human

Synthetic peptide corresponding to Human delta 1 Catenin/CAS (N terminal). Before aa101 of **Immunogen**

Human delta 1 Catenin/CAS (isoform 1ABC, 968AA).

Database link: O60716

Positive control ICC/IF: HeLa cells Flow Cyt (intra): HeLa cells.

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc., a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact

Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or **outlicensing@thermofisher.com**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Stable for 12 months at -20°C. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

Clonality Monoclonal

Clone number YE372

Isotype IgG

Applications

The Abpromise guarantee

Our Abpromise guarantee covers the use of ab203148 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|------------------|-----------|-------------------------------------------------------------------------------------------------------------------------|
| ICC/IF | | 1/100. This product gave a positive signal in HeLa cells fixed with 4% formaldehyde (10 min) and 100% methanol (5 min). |
| Flow Cyt (Intra) | | 1/50. |

Target

Function Binds to and inhibits the transcriptional repressor ZBTB33, which may lead to activation of target

genes of the Wnt signaling pathway (By similarity). May associate with and regulate the cell adhesion properties of both C- and E-cadherins. Implicated both in cell transformation by SRC and in ligand-induced receptor signaling through the EGF, PDGF, CSF-1 and ERBB2 receptors.

Promotes GLIS2 C-terminal cleavage.

Tissue specificity Expressed in vascular endothelium.

Sequence similaritiesBelongs to the beta-catenin family.

Contains 10 ARM repeats.


Domain A possible nuclear localization signal exists in all isoforms where Asp-626--631-Arg are deleted.

Post-translational Phosphorylated by protein-tyrosine kinases. Dephosphorylated by PTPRJ.


modifications

Cytoplasm. Nucleus. Cell membrane. Interaction with GLIS2 promotes nuclear translocation (By

similarity). NANOS1 induces its translocation from sites of cell-cell contact to the cytoplasm.



Flow Cytometry (Intracellular) - Alexa Fluor® 647 Anti-delta 1 Catenin/CAS antibody [YE372] (ab203148)



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-delta 1 Catenin/CAS antibody [YE372] (ab203148)

Overlay histogram showing HeLa cells stained with ab203148 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Tween for 35 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab203148, 1/50 dilution) for 30 min at 22°C. Isotype control antibody (black line) was rabbit monoclonal IgG [EPR25A] Alexa Fluor® 647 (ab199093) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a solid-state 25mW red diode laser (635 nm) and 675/30 bandpass filter. This antibody gave a positive signal in HeLa cells fixed with 80% methanol (5 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.

ab203148 staining delta 1 Catenin in HeLa cells. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab203148 at a 1/100 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at a 1/250 dilution (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in HeLa cells fixed with 100% methanol (5 min).



Research with confidence Consistent and reproducible results

Long-term and scalable supply Recombinant technology



specificity



Alexa Fluor® 647 Anti-delta 1 Catenin/CAS antibody [YE372] (ab203148)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors