abcam

Product datasheet

Alexa Fluor® 647 Anti-IL-2 Receptor alpha antibody [EPR6452] ab205859



1 References 2 Images

Overview

Product name Alexa Fluor® 647 Anti-IL-2 Receptor alpha antibody [EPR6452]

Description Alexa Fluor® 647 Rabbit monoclonal [EPR6452] to IL-2 Receptor alpha

Host species Rabbit

Conjugation Alexa Fluor® 647. Ex: 652nm, Em: 668nm

Tested applications
Suitable for: ICC/IF
Species reactivity
Reacts with: Human

Immunogen Recombinant fragment corresponding to Human IL-2 Receptor alpha.

Database link: P01589

Positive control ICC/IF: K562 cells

General notesThis product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor[®] dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

1

outlicensing@thermofisher.com.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

ClonalityMonoclonalClone numberEPR6452

Isotype IgG

Applications

The Abpromise guarantee

Our Abpromise guarantee covers the use of ab205859 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		1/100. This product gave a positive signal in K562 cells fixed with 4% formaldehyde (10 min) and 100% methanol (5 min).

Target

Function Receptor for interleukin-2.

Involvement in disease Genetic variations in IL2RA are associated with susceptibility to diabetes mellitus insulin-

dependent type 10 (IDDM10) [MIM:601942]. A multifactorial disorder of glucose homeostasis that is characterized by susceptibility to ketoacidosis in the absence of insulin therapy. Clinical fetaures are polydipsia, polyphagia and polyuria which result from hyperglycemia-induced


osmotic diuresis and secondary thirst. These derangements result in long-term complications that

affect the eyes, kidneys, nerves, and blood vessels.

Sequence similarities Contains 2 Sushi (CCP/SCR) domains.

Cellular localization Membrane.


Images



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-IL-2 Receptor alpha antibody [EPR6452] (ab205859)

ab205859 staining IL2 Receptor in K562 cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab205859 at 1/100 dilution (shown in red). Cell membranes were labelled with WGA (Alexa Fluor[®] 488, shown in green). Nuclear DNA was labelled with DAPI (shown in blue). Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in K562 cells fixed with 4% formaldehyde (10 min).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors