abcam

Product datasheet

Alexa Fluor® 647 Anti-IMP3 antibody [EPR12021] ab207074



2 Images

Overview

Product name Alexa Fluor® 647 Anti-IMP3 antibody [EPR12021]

Description Alexa Fluor® 647 Rabbit monoclonal [EPR12021] to IMP3

Host species Rabbit

Conjugation Alexa Fluor® 647. Ex: 652nm. Em: 668nm

Tested applications Suitable for: ICC/IF Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Recombinant fragment within Human IMP3. The exact sequence is proprietary. **Immunogen**

Database link: 000425

Positive control ICC/IF: HeLa cells

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our $\mathsf{RabMAb}^{\mathsf{®}}$ technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact

1

Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or **outlicensing@thermofisher.com**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 1% BSA, PBS, 30% Glycerol (glycerin, glycerine)

Purity Protein A purified

ClonalityMonoclonalClone numberEPR12021

Isotype IgG

Applications

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab207074 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		1/50. This product gave a positive signal in HeLa cells fixed with 100% methanol (5 min).

Target

Function RNA-binding protein that act as a regulator of mRNA translation and stability. Binds to the 5'-UTR

of the insulin-like growth factor 2 (IGF2) mRNAs. Binds to sequences in the 3'-UTR of CD44

mRNA.

Tissue specificity Expressed in fetal liver, fetal lung, fetal thymus, fetal placenta, fetal follicles of ovary

and gonocytes of testis, growing oocytes, spermatogonia and semen (at protein level). Expressed in cervix adenocarcinoma, in testicular, pancreatic and renal-cell carcinomas (at protein level). Expressed ubiquitously during fetal development at 8 and 14 weeks of gestation. Expressed in

ovary, testis, brain, placenta, pancreatic cancer tissues and pancreatic cancer cell lines.

Sequence similarities Belongs to the RRM IMP/VICKZ family.

Contains 4 KH domains.

Contains 2 RRM (RNA recognition motif) domains.

Domain The third and fourth KH domains are important for binding to the untranslated region (UTR) of


target mRNA.

Cellular localization Nucleus. Cytoplasm. Found in lamellipodia of the leading edge, in the perinuclear region, and

beneath the plasma membrane. The subcytoplasmic localization is cell specific and regulated by


cell contact and growth. Localized at the connecting piece and the tail of the spermatozoa.

Images



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-IMP3 antibody [EPR12021] (ab207074) ab207074 staining IMP3 in HeLa cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab207074 at 1/50 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at 1/250 dilution (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors