abcam

Product datasheet

Alexa Fluor® 647 Anti-PD-L1 antibody [CAL10] ab267565



Overview

Product name Alexa Fluor® 647 Anti-PD-L1 antibody [CAL10]

Description Alexa Fluor® 647 Rabbit monoclonal [CAL10] to PD-L1

Host species Rabbit

Conjugation Alexa Fluor® 647. Ex: 652nm, Em: 668nm

Tested applications
Suitable for: IHC-P
Species reactivity
Reacts with: Human

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control IHC-P: Normal human placenta tissue.

General notesThis product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor[®] dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Protein A purified

Clonality Monoclonal

Clone number CAL10

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab267565 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P	**** <u>(1)</u>	1/100. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

Target

Function Involved in the costimulatory signal, essential for T-cell proliferation and production of IL10 and

IFNG, in an IL2-dependent and a PDCD1-independent manner. Interaction with PDCD1 inhibits

T-cell proliferation and cytokine production.

Tissue specificity Highly expressed in the heart, skeletal muscle, placenta and lung. Weakly expressed in the

thymus, spleen, kidney and liver. Expressed on activated T- and B-cells, dendritic cells,

keratinocytes and monocytes.


Sequence similarities Belongs to the immunoglobulin superfamily. BTN/MOG family.

Contains 1 lg-like C2-type (immunoglobulin-like) domain.

Contains 1 lg-like V-type (immunoglobulin-like) domain.

Cellular localization Cell membrane and Endomembrane system.


Images



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Alexa Fluor® 647 Anti-PD-L1 antibody [CAL10] (ab267565)

IHC image of PD-L1 staining in a section of formalin-fixed paraffinembedded normal human placenta*. The section was pre-treated using heat mediated antigen retrieval with EDTA buffer (pH9.0) (performed on a Leica Biosystems BOND™ RX instrument) 100°C for 20 minutes. Non-specific protein-protein interactions were then blocked in TBS containing 0.025% (v/v) Triton X-100, 0.3M (w/v) glycine and 1% (w/v) BSA for 1h at room temperature. The section was then incubated overnight at +4°C in TBS containing 0.025% (v/v) Triton X-100 and 1% (w/v) BSA with ab267565 at 1/100 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue). The section was then mounted using Fluoromount®. Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8). For other IHC staining systems (automated and nonautomated), customers should optimize variable parameters such as antigen retrieval conditions, antibody concentrations and incubation times.

*Tissue obtained from the Human Research Tissue Bank, supported by the NIHR Cambridge Biomedical Research Centre.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors