# abcam

# Product datasheet

# APC Anti-ATF5 antibody [EPR18286] ab225334

Recombinant

RabMAb

## 2 Images

#### Overview

Product name APC Anti-ATF5 antibody [EPR18286]

**Description** APC Rabbit monoclonal [EPR18286] to ATF5

Host species Rabbit

Conjugation APC. Ex: 645nm, Em: 660nm

Tested applications Suitable for: Flow Cyt (Intra)

Species reactivity Reacts with: Mouse

Predicted to work with: Rat, Human

ted to work with. Nat, Human -

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control Flow Cyt (intra): NIH3T3 cells

**General notes**This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information **see here**.

Our RabMAb<sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**<sup>®</sup> **patents**.

#### **Properties**

Form Liquid

**Storage instructions** Shipped at 4°C. Upon delivery aliquot. Store at +4°C. Do Not Freeze. Store In the Dark.

**Storage buffer** pH: 7.40

Preservative: 0.02% Sodium azide Constituents: PBS, 1% BSA

Purity Protein A purified

Clonality Monoclonal
Clone number EPR18286

**Isotype** IgG

1

#### **Applications**

#### The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab225334 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt (Intra)		1/50000. The cellular localisation of this product has been verified in ICC/IF.

#### **Target**


#### Relevance

ATF5 or Activating transcription factor 5, binds to cAMP inducible promoters and is involved in gene transcription. This protein binds the cAMP response element (CRE) (consensus: 5'-GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters. ATF5 plays a role in inhibition of nerve growth factor induced neuronal outgrowth and regulation of neurogenesis.

#### **Cellular localization**

Cytoplasmic and Nuclear

#### **Images**




Flow Cytometry (Intracellular) - APC Anti-ATF5 antibody [EPR18286] (ab225334)

Overlay histogram showing NIH3T3 cells stained with ab225334 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab225334, 1/50000 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was Rabbit IgG (monoclonal) Allophycocyanin (ab232814) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 40 mW Red laser (640nm) and 670/14 bandpass filter.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors