# abcam

## Product datasheet

## APC Anti-CAD antibody [EP710Y] ab305487

Recombinant

RabMAb

## 1 Image

#### Overview

Product name APC Anti-CAD antibody [EP710Y]

**Description** APC Rabbit monoclonal [EP710Y] to CAD

Host species Rabbit

**Conjugation** APC. Ex: 645nm, Em: 660nm

**Tested applications** Suitable for: Target binding affinity, Antibody labelling

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

**General notes** 

This  $\underline{\textbf{conjugated primary antibody}}$  is released using a quantitative quality control method that

evaluates binding affinity post-conjugation and efficiency of antibody labeling.

For suitable applications and species reactivity, please refer to the unconjugated version of this

clone. This conjugated antibody is eligible for Abtrial: learn more  $\underline{\textbf{here}}.$ 

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb<sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**<sup>®</sup> **patents**.

## **Properties**

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at +4°C. Store

In the Dark.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide Constituents: 98% PBS, 1% BSA

Purity Protein A purified

**Clonality** Monoclonal

1

Clone number EP710Y

**Isotype** IgG

## **Applications**

## The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab305487 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Target binding affinity		Use at an assay dependent concentration.
Antibody labelling		Use at an assay dependent concentration.

## **Target**


#### Relevance

Carbamoyl phosphate synthetase-aspartate carbamoyltransferase-dihydroorotase (CAD) is a multifunctional protein that initiates and regulates mammalian de novo pyrimidine biosynthesis. This trifunctional protein which is associated with the enzymatic activities of the first 3 enzymes in the 6-step pathway of pyrimidine biosynthesis is the rate-limiting step in the de novo pyrimidine synthetic pathway. Although most of the CAD protein in the cell is cytosolic, phosphorylation at threonine 456 localizes the protein to the nucleus. While MAPK and EGF phosphorylate CAD at threonine 456, MAPK and c-myc have been found to induce over-expression of CAD.

#### Cellular localization

Cytoplasmic and Nuclear

#### **Images**



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors