abcam

Product datasheet

APC Anti-CD20 antibody [SP32] ab305648

Recombinant RabMAb

1 Image

Overview		
Product name	APC Anti-CD20 antibody [SP32]	
Description	APC Rabbit monoclonal [SP32] to CD20	
Host species	Rabbit	
Conjugation	APC. Ex: 645nm, Em: 660nm	
Tested applications	Suitable for: Antibody labelling, Target binding affinity	
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.	
General notes	This conjugated primary antibody is released using a quantitative quality control method that evaluates binding affinity post-conjugation and efficiency of antibody labeling.	
	For suitable applications and species reactivity, please refer to the unconjugated version of this clone. This conjugated antibody is eligible for Abtrial: learn more here .	
	 This product is a recombinant monoclonal antibody, which offers several advantages including: High batch-to-batch consistency and reproducibility Improved sensitivity and specificity Long-term security of supply Animal-free production For more information see here. Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <u>RabMAb[®] patents</u>. 	

Properties	
Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at +4°C. Store In the Dark.
Storage buffer	pH: 7.40 Preservative: 0.02% Sodium azide Constituents: 98% PBS, 1% BSA
Purity	Protein A/G purified
Purification notes	Purified from TCS by protein A/G.

Clonality	Monoclonal
Clone number	SP32
lsotype	lgG

Applications

The Abpromise guaranteeOur Abpromise guaranteecovers the use of ab305648 in the following tested applications.The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Antibody labelling		Use at an assay dependent concentration.
Target binding affinity		Use at an assay dependent concentration.

This protein may be involved in the regulation of B-cell activation and proliferation.	
Expressed on B-cells.	
Defects in MS4A1 are the cause of immunodeficiency common variable type 5 (CVID5) [MIM:613495]; also called antibody deficiency due to CD20 defect. CVID5 is a primary immunodeficiency characterized by antibody deficiency, hypogammaglobulinemia, recurrent bacterial infections and an inability to mount an antibody response to antigen. The defect results from a failure of B-cell differentiation and impaired secretion of immunoglobulins; the numbers of circulating B cells is usually in the normal range, but can be low.	
Belongs to the MS4A family.	
Phosphorylated. Might be functionally regulated by protein kinase(s).	
Membrane.	

Images



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors