# abcam

## Product datasheet

# APC Anti-CD68 antibody [SP251] ab303135

Recombinant

RabMAb

### 1 Image

#### Overview

Product name APC Anti-CD68 antibody [SP251]

**Description** APC Rabbit monoclonal [SP251] to CD68

Host species Rabbit

**Conjugation** APC. Ex: 645nm, Em: 660nm

**Tested applications** Suitable for: Target binding affinity, Antibody labelling

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

**General notes** 

This  $\underline{\textbf{conjugated primary antibody}}$  is released using a quantitative quality control method that

evaluates binding affinity post-conjugation and efficiency of antibody labeling.

For suitable applications and species reactivity, please refer to the unconjugated version of this

clone. This conjugated antibody is eligible for Abtrial: learn more  $\underline{\text{here}}.$ 

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb<sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**<sup>®</sup> **patents**.

#### **Properties**

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at +4°C.

Avoid freeze / thaw cycle. Store In the Dark.

**Storage buffer** pH: 7.40

Preservative: 0.02% Sodium azide Constituents: 98% PBS, 1% BSA

Purity Protein A purified

**Clonality** Monoclonal

1

Clone number SP251

**Isotype** IgG

#### **Applications**

#### The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab303135 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Target binding affinity		Use at an assay dependent concentration.
Antibody labelling		Use at an assay dependent concentration.

#### **Target**

Function Could play a role in phagocytic activities of tissue macrophages, both in intracellular lysosomal

metabolism and extracellular cell-cell and cell-pathogen interactions. Binds to tissue- and organspecific lectins or selectins, allowing homing of macrophage subsets to particular sites. Rapid recirculation of CD68 from endosomes and lysosomes to the plasma membrane may allow

macrophages to crawl over selectin-bearing substrates or other cells.

**Tissue specificity** Highly expressed by blood monocytes and tissue macrophages. Also expressed in lymphocytes,

fibroblasts and endothelial cells. Expressed in many tumor cell lines which could allow them to attach to selectins on vascular endothelium, facilitating their dissemination to secondary sites.

**Sequence similarities** Belongs to the LAMP family.

Post-translational

modifications

N- and O-glycosylated.

**Cellular localization** Cell membrane and Endosome membrane. Lysosome membrane.

#### **Images**









APC Anti-CD68 antibody [SP251] (ab303135)

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors