abcam

Product datasheet

APC Anti-NCAM1 antibody [MEM-188] ab28335

★★★★ 1 Abreviews

Overview

Product name APC Anti-NCAM1 antibody [MEM-188]

Description APC Mouse monoclonal [MEM-188] to NCAM1

Host species Mouse

Conjugation APC. Ex: 645nm, Em: 660nm

Specificity ab28335 recognises an isoform of NCAM characteristic for leucocytes. Reactivity with other

NCAM isoforms has not been tested.

Tested applications
Suitable for: Flow Cyt
Species reactivity
Reacts with: Human

Immunogen Tissue, cells or virus corresponding to Human NCAM1. KG-1 human acute myelogenous

leukaemia cell line

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C.

Storage buffer pH: 7.4

Preservative: 0.097% Sodium azide Constituents: PBS, 0.2% BSA

Purity Size exclusion

Purification notes Purity >95% by SDS-PAGE.

Clonality Monoclonal
Clone number MEM-188
Isotype IgG2a

1

Applications

The Abpromise guarantee

Our Abpromise guarantee covers the use of ab28335 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt	★★★★ (1)	Use at an assay dependent concentration. Use 10 ul per 100 ul of whole blood. ab91364 - Mouse monoclonal lgG2a, is suitable for use as an isotype control with this antibody.

Target

Function This protein is a cell adhesion molecule involved in neuron-neuron adhesion, neurite fasciculation,

outgrowth of neurites, etc.

Sequence similaritiesContains 2 fibronectin type-III domains.

Contains 5 lg-like C2-type (immunoglobulin-like) domains.

Cellular localization Secreted and Cell membrane.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors